

SECTION A



BID NO.:614

PROJECT NAME & LOCATION Bronx Family & Criminal Courthouse 900 Sheridan Avenue, 6th Floor BRONX, NEW YORK 10451

Description: Installation of Herman Miller Furniture Bid Open Location: DASNY 515 Broadway, Albany, New York Bid Open Date: October 5, 2018

Bid Open Time: 2:30 p.m.

Contact: Kristen Costello (518) 257-3119

NOTICE TO BIDDERS

MAIL BIDS EARLY

Sealed bids will be received by DASNY at the above address for the items listed in the attached Bid Breakdown and Schedule. When submitting your bid you must:

- 1. Prepare your bid on the attached Bid Breakdown and Schedule. Return one signed original of the Bid Breakdown and Schedule
- 2. If your bid deviates from Specifications, explain such deviations or qualifications on your letterhead, setting forth therein such explanations, and attach them to the Bid Breakdown and Schedule.
- 3. Submission of a bid constitutes full knowledge and acceptance of all provisions of the Notice to Bidders, all information referenced in the Purchasing General Conditions, Supplemental and Detailed Specifications, the Bid Submission and any Supplemental General Requirements contained herein, as well as any addenda issued in relation to the Invitation for Bids.
- 4. Each bid shall bear on the outside of the envelope the name of the bidder, address, telephone number and designated as a bid for the following:
 DASNY Bid No. <u>614</u> Bid Opening Date: <u>October 5, 2018</u> @ 2:30PM
 Return to:
 DASNY
 Attn: Purchasing Unit
 515 Broadway
 Albany, NY 12207-2964



Bid No.: 614

When a sealed bid is placed inside another delivery jacket, the bid delivery jacket must be clearly marked on the outside "**BID ENCLOSED**" and "**ATTENTION: PURCHASING UNIT**". The Dormitory Authority will not be responsible for receipt of bids which do not comply with these instructions.

- 5. Mail bid responses early in order for them to be received before the time of the bid opening. Late bids will be automatically rejected. Individuals submitting bids in person or by private delivery services should allow sufficient time for processing through building security to assure that the bids are received prior to the deadline for submitting bids. All individuals who plan to attend bid openings will be required to present government-issued picture identification to building security officials and obtain a visitor's pass prior to attending the bid opening.
- 6. In accordance with State Finance Law § 139-j and 139-k, this solicitation includes and imposes certain restrictions on communications between Dormitory Authority personnel and an Offerer during this procurement process. Designated contact for this solicitation is: Kristen Costello, Sr. Purchasing Coordinator, at Dormitory Authority – State of New York, 515 Broadway, Albany, NY 12207,(518) 257-3119. Contacts made to other Dormitory Authority Personnel regarding this procurement may disqualify the Offerer and affect future procurements with governmental entities in the State of New York. Please refer to the Authority's website www.dasny.org for Authority policy and procedures regarding this law, or the NYS office of General Services website www.ogs.ny.gov/BU/PC/ for more information about this law.



Bid No.: 614

If you are not submitting a bid it is requested that you complete and return the lower portion of this form

(Please check all that apply and provide comments in the space provided, if necessary)

| We are r bid. | not Submitting a | U We R | equest remova | l of our name | from the mailing |
|--------------------|---------------------|--------|------------------|----------------|------------------|
| Location | of the job site. | Comn | nodity is not ca | rried by our c | ompany. |
| Scope is | too large. | | | | |
| Other/Additio | nal Explanation: | | | | |
| | | | | | |
| NAME OF BIDDER: | | | | | |
| ADDRESS | | | | | |
| : | Street Telephone | Cit | y | State | Zip |
| Signa | ature of Bidder | | | Off | ficial Title |



CLAUSES PURSUANT TO THE OMNIBUS PROCUREMENT ACT OF 1992

It is the policy of New York State to maximize opportunities for the participation of New York State business enterprises, including minority and woman-owned business enterprises as bidders, subcontractors and suppliers on its procurement contracts.

Information on the availability of New York subcontractors and supplies is available from:

Empire State Development Small Business Division 30 South Pearl Street, 7th Floor Albany, NY 12207 Phone: (800) 782-8369

A directory of minority and woman-owned business enterprises is available from:

Empire State Development Division of Minority and Women Business Development 30 South Pearl Street Albany, NY 12207 Phone: (518) 292-5250

Online Directory: https://ny.newnycontracts.com/FrontEnd/VendorSearchPublic.asp

DASNY maintains a directory of minority and women-owned business enterprises: http://www.dasny.org/construc/mwsbereg/index.php

The contractor acknowledges notice that New York State may seek to obtain offset credits from foreign countries as a result of this contract and agrees to cooperate with the State in these efforts.

DASNY encourages the use of recycled Materials in the manufacturing process. To that end, the recycled product must meet the same codes, specifications and standards the non-recycled materials do, including requirements for cost, installation, aesthetics, availability and maintenance.



The Omnibus Procurement Act of 1992 and § 2879 of the NYS Public Authorities Law require that by signing this bid, contractors certify that whenever the total bid amount is greater than \$1 million:

- 1. The contractor has made reasonable efforts to encourage the participation of New York State Business Enterprises as suppliers and Subcontractors on this project, and has retained the documentation of these efforts to be provided upon request to the State. If the contractor determines that NYS business enterprises are not available to participate on the contract as subcontractors or suppliers, the contractor shall provide a statement indicating the method by which such determination was made. If the contractor does not intend to use subcontractors, contractor shall provide a statement verifying such;
- 2. The contractor has complied with the Federal Equal Opportunity Act of 1972 (PL 92-261), as amended;
- 3. The contractor agrees to make reasonable efforts to provide notification to New York State residents of employment opportunities on this project through listing any such positions with the Job Service Division of the New York State Department of Labor, or providing such notification in such manner as is consistent with existing collective bargaining contracts or agreements. The contractor agrees to document these efforts and to provide said documentation to the State upon request;

DASNY is required by law to notify the NYS Department of Economic Development of any procurement contract for one million dollars or more that is to be awarded to an out-of-state vendor. This notice must be done simultaneous to the notification of award provided to the vendor. A purchase order or contract cannot be issued until fifteen (15) days after such notification is provided.



GENERAL SPECIFICATIONS

- (1) The enclosed Purchasing General Conditions are hereby incorporated by reference. Submission of a bid response shall constitute acceptance of such conditions. Any exceptions/clarifications/qualifications to these conditions or other specifications and/or requirements contained herein must be clearly stated in the bid response and, depending upon the nature of such, may be grounds for rejection of your bid.
- (2) Bids must be submitted in the bidder's full legal name, or the bidder's full legal name plus a registered assumed name, if any.
- (3) All NYS bidders are required to be registered to do business with the NYS Department of State or their local County Clerk, whichever is applicable.
- (4) All out-of-state bidders will be required to provide proof of registration to do business in their state. All out-of-state bidders that "do business in New York State" MUST BE REGISTERED WITH THE NYS DEPARTMENT OF STATE. Please contact the NYS Department of State at (518) 473-2492. Information is available at the DOS website: www.dos.ny.gov
- (5) DASNY is required by law to notify the Empire State Development of any procurement contract for one million dollars or more that is to be awarded to an out-of-state vendor. This notice must be done simultaneous to the notification of award provided to the vendor. A purchase order or contract cannot be issued until fifteen (15) days after such notification is provided.
- (6) Empire State Development is required by law to identify states and other jurisdictions that impose preferences or other penalties against New York bidders. DASNY is precluded from soliciting bids or entering into procurement contracts with companies that have their principal place of business located in one of the listed jurisdictions, unless the procurement is for a product that is substantially manufactured in New York State or the services are to be performed in New York State. Currently, this list of jurisdictions includes the states of Alaska, Hawaii, Louisiana, South Carolina, West Virginia and Wyoming.
- (7) Unless otherwise indicated, any reference to brands or model numbers is intended to establish a standard. Items of all manufacturers will be considered, provided the item is determined to meet or exceed the required specification. DASNY's decision as to whether a substitute item meets specification will be final. Your attention is directed to Article II-7, Page 5 of the General Conditions. In order to evaluate substitute items, detailed specifications must be submitted for any product that is other than the one(s) specified in the bid.



GENERAL SPECIFICATIONS CONTINUED

- (8) Unless otherwise noted, guarantee on all items is to be one year as detailed in Article XVI of the General Conditions
- (9) All upholstered furniture and drapery panels and lining must meet strict flammability requirements. Standards applicable to this bid, if any, will be delineated in the Detailed Specifications.
- (10) LABOR/TRADES Any labor, materials or means whose employment, or utilization during the course of this contract, shall not in any way cause or result in strike, work stoppages, delays, suspension of work; or similar troubles by workers employed by this contractor or his subcontractors, or by any of the trades working in or about the buildings and premises where work is being performed. Any violation by the contractor of this requirement may in the sole judgment of DASNY be considered as proper and sufficient cause for declaring the contractor to be in default, and for the owner to take action against him as set forth in the Purchasing General Conditions, Article VIII, "Termination", or such other action as DASNY may deem proper.
- (11) Bid results are available on the DASNY website (<u>www.DASNY.org</u>). Bid results will not be given over the phone.
- (12) If you are a NYS Certified Minority or Women Owned Business, please include a copy of your certification with the bid.



ALFONSO L. CARNEY, JR. Chair GERRARD P. BUSHELL, Ph.D. President & CEO

SUPPLEMENTAL SPECIFICATIONS

The following items are attached for informational purposes. Referenced documents need not be

returned with the proposal. These documents are only applicable to the successful bidder and the ensuing procurement contract. Documents are only applicable to the successful bidder and the ensuing procurement contract. Documents applicable to the procurement that will result from this Invitation for Bids are designated by a check box (\boxtimes). Unless otherwise indicated, the referenced documents are located at the end of this Invitation for Bids.

- Purchasing General Conditions The DASNY Purchasing General Conditions contains terms and conditions of purchases made by DASNY. It is recommended that this document be reviewed fully.
- M/WBE Utilization Plan and Request for Waiver Minority and Women-Owned Business Enterprise (M/WBE) goals for this project are <u>0</u>% and <u>0</u>%, respectively. The successful bidder shall be required to complete a Utilization Plan or Request for Waiver, to be approved by DASNY's Opportunity Programs Group. Reference Purchasing General Conditions, Article XIX, Affirmative Action for Contracts Mr. Michael Clay, DASNY Opportunity Programs Group at (518) 257-3464, is available to assist all bidders in attaining these goals. *Reference the enclosed "Good Faith Efforts Guidelines"*.
- Supplemental General Requirements Attached (if applicable) are the Supplemental General Requirements (SGRs) which provide important logistical information and additional conditions which govern this procurement. Please read these SGRs carefully.
- Form of DASNY Contract The procurement resulting from the Invitation for Bids will be executed through a DASNY purchase order and a related contract. The contract executed with the successful bidder will be in the same substantial form as the attached "Form of Contract". Note that this Invitation for Bids and any response to such will be annexed as binding terms of the purchase agreement.
- Certificate of Insurance (*sample enclosed*) The successful bidder will be required to provide a Certificate of Insurance pursuant to Article XIV of the enclosed Purchasing General Conditions. The certificate shall name DASNY and other designated parties as additional insureds.

CORPORATE HEADQUARTERS 515 Broadway Albany, NY 12207-2964

T 518-257-3000 **F** 518-257-3100 NEW YORK CITY OFFICE One Penn Plaza, 52nd Floor New York, NY 10119-0098

T 212-273-5000 **F** 212-273-5121 **BUFFALO OFFICE** 539 Franklin Street Buffalo, NY 14202-1109

T 716-884-9780 **F** 716-884-9787 DORMITORY AUTHORITY STATE OF NEW YORK

WE FINANCE, BUILD AND DELIVER.



ALFONSO L. CARNEY, JR. GERRARD P. BUSHELL, Ph.D. Chair President & CEO SUPPLEMENTAL SPECIFICATIONS CONTINUED

- Worker's Compensation / Disability Insurance The successful proposer will be required to provide specific documentation with respect to Worker's Compensation and Disability Insurance pursuant to Article XIV of the enclosed Purchasing General Conditions. Requirements are detailed in the enclosed "Workers' Compensation and Disability Benefits Requirements" document.
- Prevailing Wage Schedule NYS Labor Law requires all wages paid by contractors and subcontractors on public work projects be paid at the prevailing wage rates. Enclosed is the current rate schedule for the appropriate county. Contractors and Subcontractors are responsible for obtaining current rates throughout the course of the project. The NYS Department of Labor (NYS DOL) updates these rates on July1st of each year. Current rates can be obtained on the NYS DOL website (www.labor.state.ny.us) or by fax at (518) 485-1870. Note that an executed Contractor and Subcontractor Certification and certified payrolls, which include the hours and days worked by each workman, laborer or mechanic, the occupation at which he worked, the hourly wage rate paid and the supplements paid or provided, must be submitted with each and every payment requisition. DASNY will not process an invoice without this information. Forms are available on the DASNY website: http://www.dasny.org/construc/forms2/vendors.php
- Labor and Material Payment Bond The successful bidder must be prepared to provide surety bonds prior to award in accordance with Article XIV of the DASNY Purchasing General Conditions. The costs of these bonds are to be separately stated in the total bid price as indicated on the Bid Breakdown and Schedule.
 - Performance Bond The Successful bidder must be prepared to provide surety bonds prior to award in accordance with Article XIV of DASNY Purchasing General Conditions. The costs of these bonds are to be separately stated in the total bid price as indicated on the Bid Breakdown and Schedule.
- Standard Vendor Responsibility Questionaire (SVRQ) The successful proposer, in accordance with Article XXII of DASNY Purchasing General Conditions, will be required to complete the enclosed SVRQ. The award of a contract will be subject to a review of the information contained in these forms.

CORPORATE HEADQUARTERS 515 Broadway Albany, NY 12207-2964

T 518-257-3000 **F** 518-257-3100 NEW YORK CITY OFFICE One Penn Plaza, 52nd Floor New York, NY 10119-0098

T 212-273-5000 **F** 212-273-5121 BUFFALO OFFICE 539 Franklin Street Buffalo, NY 14202-1109

T 716-884-9780 **F** 716-884-9787 DORMITORY AUTHORITY STATE OF NEW YORK

WE FINANCE, BUILD AND DELIVER.

www.dasny.org



ALFONSO L. CARNEY, JR. GERRARD P. BUSHELL, Ph.D. Chair President & CEO SUPPLEMENTAL SPECIFICATIONS CONTINUED

NYS Uniform Contracting Questionaire (UCQ) – The successful proposer will be required to complete the enclosed UCQ. The award of a contract will be subject to a review of the information contained in these forms.

DASNY Contractor and Consultant Questionaire (CCQ) – The successful proposer will be required to complete the enclosed CCQ. The award of a contract will be subject to a review of the information contained in these

CORPORATE HEADQUARTERS 515 Broadway Albany, NY 12207-2964

T 518-257-3000 **F** 518-257-3100 **NEW YORK CITY OFFICE** One Penn Plaza, 52nd Floor New York, NY 10119-0098

T 212-273-5000 **F** 212-273-5121 **BUFFALO OFFICE** 539 Franklin Street Buffalo, NY 14202-1109

T 716-884-9780 **F** 716-884-9787 DORMITORY AUTHORITY STATE OF NEW YORK

WE FINANCE, BUILD AND DELIVER.



ALFONSO L. CARNEY, JR. Chair **GERRARD P. BUSHELL, Ph.D.** President & CEO

SUPPLEMENTAL GENERAL REQUIREMENTS

PRE-BID CONFERENCE and REQUESTS FOR INFORMATION

PRE-BID CONFERENCE:

- DATE: Tuesday, September 25, 2018
- TIME: 10:00 am
- LOCATION: DASNY/STV field office 900 Sheridan Avenue, main Floor Bronx, New York 10451

ATTENDANCE AT THIS MEETING IS RECOMMENDED

For directions to the project site please contact DASNY's Construction Manager, Celeste Evans. Please contact Ms. Evans at (646)763-1659.

Hardhats and proper footwear will be required to tour the site.

REQUESTS FOR INFORMATION:

DATE: All requests for information should be submitted to kcostell@dasny.org no later than Wednesday, September 26, 2018. The bid number must be referenced in the subject line.
All responses will be posted to www.dasny.org as an Addendum to Bid No. 614 no later than Monday, October 1, 2018. It is the responsibility of the bidder to obtain any and all Addenda issued.

REQUIREMENT:

All bidders must be authorized to install Herman Miller product. Confirmation of authorization will be confirmed with Herman Miller prior to award.

CORPORATE HEADQUARTERS 515 Broadway Albany, NY 12207-2964

T 518-257-3000 **F** 518-257-3100 **NEW YORK CITY OFFICE** One Penn Plaza, 52nd Floor New York, NY 10119-0098

T 212-273-5000 **F** 212-273-5121 **BUFFALO OFFICE** 539 Franklin Street Buffalo, NY 14202-1109

T 716-884-9780 **F** 716-884-9787 DORMITORY AUTHORITY STATE OF NEW YORK

WE FINANCE, BUILD AND DELIVER.



BRONX FAMILY & CRIMINAL COURTHOUSE 900 SHERIDAN AVENUE, 6th FLOOR BRONX, NEW YORK 10451

SCOPE OF WORK INSTALLATION OF HERMAN MILLER PRODUCT

1. General Information

You are invited to submit a quotation to provide installation services of Herman Miller product for the Bronx Family & Criminal Courthouse. All installation of the product must be performed by SMWBE's firms authorized to install Herman Miller product.

2. <u>Reference Documents</u>

All bidders must comply with the following:

- All conditions described within this document
- Project Site Logistics and Drawings
- Furniture Specifications, Herman Miller drawings, project # A6173.3398
- Furniture Plan Drawings, DASNY's consultant architect, H2M

3. Scope and Summary of Work

- A. Install all Herman Miller products purchased per Furniture specifications, Herman Miller drawings and furniture Plan Drawings.
- B. Room distribution schedules and layouts shall be distributed to the successful bidder at the time of the award.
- C. All items shall be delivered and installation work performed Monday Friday between the hours of 6:00 PM and 7:00 AM.
- D. Perform installation work according to the FF&E drawings provided by DASNY's consultant architect, H2M. Vendor must furnish all labor, special tools, supervision and services to complete the installation.
- E. Vendor is responsible for all work included in the attached drawings and specifications. In the event of a discrepancy between the drawings and specifications.
- F. All labor shall be in accordance with the DASNY Purchasing General Conditions.
- G. All installation shall be confirmed and coordinated with project personnel.
- H. Installation must be guaranteed for one (1) full year after acceptance. Installation is to be in accordance with the recommended practices of Herman Miller.
- I. Vendor shall be responsible for coordinating dates and times for installation services with the project site.
- J. Coordination shall include confirmation of workstation/furniture electrical and data requirements to the project site's field conditions.
- K. This is a Public Works project, and all contractors and installers are subject to all prevailing wage rates and requirements under the Jurisdiction of New York State Department of Labor. The PRC No. assigned to this project is 2017006697 (see attached Wage Rate Schedule, included in Section D)



BRONX FAMILY & CRIMINAL COURTHOUSE 900 SHERIDAN AVENUE, 6th FLOOR BRONX, NEW YORK 10451

SCOPE OF WORK INSTALLATION OF HERMAN MILLER PRODUCT

Scope of Work:

- A. Receive and install components per DASNY's consultant architect, H2M.and manufacturer's written installation instructions (wiring harnesses, receptacles, lighting fixtures, etc.) and verify versus bill of lading or packing list.
- B. Install lighting fixture(s) for each workstation and plug into receptacle.
- C. The successful bidder shall be responsible for sequencing and coordinating work with the Electrical Contractor to ensure systems are tested and working properly.

<u>Notes:</u>

- A. The receptacles, three port flex mode faceplates, wiring harnesses, hard wire infeed and lighting fixtures are to be supplied by Herman Miller.
- B. The external power connections to the furniture systems are provided by others.
- C. All work shall comply with the Electrical Code of the City of New York.

4. Electrical Requirements to be provided by Others

Scope of Work:

- A. Coordination with other trades shall be required.
- B. Vendor shall be responsible for testing their own work. Then also sequencing and coordinating work with the Electrical Contractor (for all power & data) to ensure systems are tested and working properly.

5. Data Requirements

Scope of Work:

- A. The Project Data Cabling Contractor shall furnish and install data cabling.
- B. Sequencing with trades and other furniture installers shall be reviewed and coordinated during project coordination meetings.
- C. Cabling shall be provided under the Base Contract Electrical Work as noted on the drawings. AV Contractor shall provide all other cabling and or termination as required to install the final devices.

6. Drawings

- A. Bidders shall provide 2-d and 3-d drawings of each desk typical and workstation.
- B. Bidders shall show power infeed locations, where applicable.

7. Field Measuring

A. Successful bidder must field verify space prior to order being placed.



BRONX FAMILY & CRIMINAL COURTHOUSE 900 SHERIDAN AVENUE, 6th FLOOR BRONX, NEW YORK 10451

SCOPE OF WORK INSTALLATION OF HERMAN MILLER PRODUCT

B. Successful bidder shall ensure end panels/supports used, provide proper clearance for access to wall power/data locations.

8. <u>Schedule</u>

Tentative delivery and installations are scheduled for the week of **February 4, 2019**. Reference site logistics document for information regarding Logistic information and Building Access. 72 hours notice is required to arrange delivery.

END OF SECTION

State Contract Finishes to be confirmed prior to order entry

| Item | Tag | Mfg | | Cat | Part Number | Option Group | Part Description | Generi | Qty |
|------|------|-------|--------|-------|-------------------------------|---|--|--------|-----|
| | A01 | HMI | HM3 | HAO. | AO215.42 | | +Draw Rod 42H | B | 2 |
| 2 | A01 | HMI | НМЗ | HAO | A0215.62 | | +Draw Rod 62H | В | 2 |
| 3 | A01 | HMI | НМЗ | HAO | A2390.L | | +Wk Surf Bracket,Left 4/Pkg | J | 1 |
| | A01 | HMI | НМЗ | HAO | A2390.R | | +Wk Surf Bracket, Right 4/Pkg | J | 1 |
| 1 | A01 | нмі | НМЗ | HAO | G1189.B | | +Com Pt Faceplate,Extender 6/Pkg | 8 | 1 |
| 1 | | | | | WN | Surface Finish | +warm grey neutral | | 1 |
| | A01 | HMI | HM3 | HAO | G6123.24NS | Surface Finish | +Task Light,E.E.,No Dim,AO/Etho/Canvas,NYC 24W | A | 2 |
| 4 | A01 | HMI | НМЗ | HAO | G6123.48NS | Surface Finish | +warm grey neutral +Task Light, E.E., No Dim, AO/Etho/Canvas, NYC 48W | A | 2 |
| 1 | 101 | Invit | TIMO | | WN | Surface Finish | +warm grey neutral | ~ | l. |
| | A01 | HMI | HM3 | HAO | AO259. | | +Fin End,Chg-Of-Ht,Panel/Conn | B | 2 |
| | | | | | | in the second | | | 1 |
| 1 | 101 | luce | 1000 | ILLAG | WN | Surface Finish | +warm grey neutral | В | - |
|) | A01 | HMI | НМЗ | HAO | A1311.A | | +15 Amp Receptacle 4 Circuit, Duplex, Circuit A 6/Pkg | В | 1 |
| 0 | 404 | HMI | HM3 | IUAO | WN A1311.DN | Receptacle Finish | +warm grey neutral +15 Amp Receptacle 4 Circuit, Duplex, Circuit D 6/Pkg | В | 11 |
| | A01 | (TIMI | rivio | HAO | WN | Receptacle Finish | + is Amp Receptacie 4 Circuit, Duplex, Circuit D Grag | B | 1 |
| 1 | A01 | HMI | HM3 | HAO | A8354.24G | Inteceptacie i intali | +Base Pwr Adapter, Thin Base Side Covers 4-Circ W/Rcp & Com Pt | в | 12 |
| | | | THINS. | | WN | Cable Management Finish | 24W +warm grey neutral | | |
| 2 | A01 | HMI | НМЗ | HAO | A8354.48G | | +Base Pwr Adapter, Thin Base Side Covers 4-Circ W/Rcp & Com Pt 48W | В | 2 |
| 1 | | | | | WN | Cable Management Finish | +warm grey neutral | - | - |
| 3 | A01 | HMI | НМЗ | HAO | A8323.24E | | +Base Pwr Entry,Junct Box 4-Circ,Thin Base 24W | В | 2 |
| 4 | A01 | HMI | HM3 | HAD | WN A8271.47H | Cable Management Finish | +warm grey neutral +Fin End,Thin Base 47H | B | 4 |
| - | AUT | 11100 | TIMO | HAU | WN WN | Surface Finish Cable Management Finish | +warm grey neutral +warm grey neutral | | - |
| 5 | A01 | HMI | HM3 | HAO | A8220.47H | oune munagement i man | +Conn,2-Way 90 Deg,Thin Base Hard 47H | B | 2 |
| | 1.01 | | | | WN | Surface Finish | +warm grey neutral | | |
| 1 | | 1 | | | WN | Cable Management Finish | +warm grey neutral | B | - |
| 6 | A01 | HMI | нмз | HAO | A8220.67H WN WN | Surface Finish Cable Management Finish | +Conn,2-Way 90 Deg,Thin Base Hard 67H +warm grey neutral +warm grey neutral | в | 4 |
| 7 | A01 | HMI | HM3 | HTH | LG890.120 | Cable Management Pinish | +Pedestal Add-On Cushion Top 1H 20D | UP | 2 |
| | //01 | | 1.0.0 | | 8T | Cushion Top Fabric | +crossing-Pr Cat 1 | | |
| V | 101 | - | 11110 | 11100 | 07 | 8T_Colors | +crossing pumpkin | - | - |
| 8 | A01 | НМІ | НМЗ | HAO | A2310.2448L LA LA WN | Top Finish Edge Finish Support Finish | +Work Surf,Sq-Edge Rect, Lam Top/TP Edge 24D 48W +light ash +light ash +warm grey neutral | 1 | 2 |
| 9 | A01 | HMI | HM3 | HAO | A2310.24721. | Lookborr Lunon | +Work Surf, Sq-Edge Rect, Lam Top/TP Edge 24D 72W | J | 2 |
| | | | | | LA WN WN | Top Finish Edge Finish Support Finish | +light ash +warm grey neutral +warm grey neutral | | |

C:\Users\ctamqn\Desktop\State Contract FINAL.sp4

| Item | Tag | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Gene | ri Qty |
|------|-----|--|---------|--|---|--|---|---|--|
| 20 | A01 | HMI | НМЗ | HAO | A3353.1324 | | +Flip Dr Unit,B-Style Paint,W/Lk 13D 24W 15-1/2H | J | 2 |
| 1 | | | | | KA WN WN | Lock Option Case Finish Door Finish | +keyed alike +warm grey neutral +warm grey neutral | | |
| 21 | A01 | HMI | HM3 | HAO | A3353.1348 | | +Flip Dr Unit,B-Style Paint,W/Lk 13D 48W 15-1/2H | J | 2 |
| 1 | | | | | KA WN WN | Lock Option Case Finish Door Finish | +keyed alike +warm grey neutral +warm grey neutral | - | |
| 22 | A01 | HMI | HM3 | HAO | A8120.4724J WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +Panel,Fabric,Thin Base Npwr W/Rcp Com Pt Lc 47H 24W +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands-wicker +strands-vicker | B | 6 |
| 23 | A01 | HMI | HM3 | HAO | A8120.4748J | | +Panel, Fabric, Thin Base Npwr W/Rcp Com Pt Lc 47H 48W | B | 2 |
| | | a da anti-anti-anti-anti-anti-anti-anti-anti- | | d) metro e anticipitati de l'Antica de l'Anticipitati | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W Colors | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands-Pr Cat 3 +strands wicker | 111) | a () () a sea () a sha () a sha () a sha () () () a sha () () () () a s |
| 24 | A01 | HMI | HM3 | HÃO | A8120.6724J | | +Panel,Fabric,Thin Base Npwr W/Rcp Com Pt Lc 67H 24W | В | 2 |
| ~ | | | | | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands-Pr Cat 3 +strands wicker | | and a second |
| 25 | A01 | HMI | НМЗ | HAO | A8120.6748J | | +Panel, Fabric, Thin Base Npwr W/Rcp Com Pt Lc 67H 48W | В | 2 |
| 1 | | | | | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands-Pr Cat 3 +strands wicker | التاراب بالمعصولات ومعاديات ومعاديات والمعادي | |
| 26 | A01 | HMI | НМЗ | HTU | LW110.20BF | 1 | +Ped W-Pull,Mobile 20D B/F | UP | 2 |
| 11 | | an and the state of the part o | | al to the second of the second of the second se | SB XS 91 KA 5M HN | Slides Paint/Steel Type Surface Finish Lock Drawer Interior Handle | +full-extension ball-bearing +textured paint on smooth steel +white +keyed alike +pencil tray in box drawer, 2 file converters in file drawer +no hand grip | | |
| 27 | A01 | HMI | НМЗ | HTU | LW100.20FF | | +Ped W-Pull,Freestd 20D F/F | UP | 2 |
| 14 | | | | | SB XS WN KA 1F 1M | Slides Paint/Steel Type Surface Finish Lock Base Height Drawer Interior | +full-extension ball-bearing +textured paint on smooth steel +warm grey neutral +keyed alike +standard height +2 file converters in each file drawer A01 Workstations | | 2 |
| 28 | | | | 1 | | | AUT WORKStations | 1 | 12 |
| | 1 | 1 | 1 | 1 | | 1 | A01 Subtotal | 1 | |

ACS

900 Sheridan, 6th Fl, Bronx

| Iten | | Mfg | | | | Option Group | Part Description | Generi | Qty |
|------|----------|--------|---------|------|---|---|---|--------|-----|
| 29 | A02 | HMI | HM3 | HAO | AO215.62 | | +Draw Rod 62H | В | 3 |
| 30 | A02 | нмг | НМЗ | HAO | A2390.L | | +Wk Surf Bracket,Left 4/Pkg | J | 1 |
| 31 | A02 | HMI | НМЗ | HAO | A2390.R | | +Wk Surf Bracket, Right 4/Pkg | J | 1 |
| 32 | A02 | HMI | НМЗ | HAO | G1189.B | | +Com Pt Faceplate,Extender 6/Pkg | 8 | 1 |
| 4 | | | 1 | 1 | WN | Surface Finish | +warm grey neutral | | |
| 33 | A02 | HMI | НМЗ | HAO | G6123.24NS | | +Task Light, E.E., No Dim, AO/Etho/Canyas, NYC 24W | A | 2 |
| 1 | 1.00 | - | 11110 | - | WN | Surface Finish | +warm grey neutral | | 1 |
| 34 | A02 | HMI | НМЗ | HAO | G6123.48NS | | +Task Light, E.E., No Dim, AO/Etho/Canvas, NYC 48W | A | 3 |
| 35 | A02 | HMI | HM3 | HAO | | Surface Finish | +warm grey neutral | 10 | - |
| 55 | AUZ | ruwii. | | HAO | WN | Surface Finish | +Fin End,Chg-Of-Ht,Panel/Conn | B | 6 |
| 36 | A02 | HMI | НМЗ | HAO | A DATE AND A | Sunace Finish | +warm grey neutral +Base Pwr Adapter, Thin Base Side Covers 4-Circ W/Rcp & Com Pt | B | 2 |
| | PIOL | | TIMO | | WN | Cable Management Finish | 48W +warm grey neutral | B | 2 |
| 37 | A02 | HMI | НМЗ | HAO | A8354.24G | | +Base Pwr Adapter, Thin Base Side Covers 4-Circ W/Rcp & Com Pt 24W | В | 2 |
| X | 1 | | | | WN | Cable Management Finish | +warm grey neutral | | |
| 38 | A02 | HMI | НМЗ | HAO | | | +Base Pwr Entry,Junct Box 4-Circ,Thin Base 30W | В | 2 |
| Y | 100 | - | | 1110 | WN | Cable Management Finish | +warm grey neutral | - | |
| 39 | A02 | НМІ | НМЗ | HAO | A1311.D | Receptacle Finish | +15 Amp Receptacle 4 Circuit, Duplex, Circuit D isolated ground 6/Pkg +warm grey neutral | B | 1 |
| 10 | A02 | HMI | HM3 | HAO | A1311.A | | +15 Amp Receptacle 4 Circuit, Duplex, Circuit A 6/Pkg | B | 1 |
| 1 | | | | | WN | Receptacle Finish | +warm grey neutral | | |
| 11 | A02 | HMI | НМЗ | HAO | A8271.47H | | +Fin End, Thin Base 47H | В | 6 |
| | | | | | WN | Surface Finish Cable Management Finish | +warm grey neutral +warm grey neutral | | |
| 12 | A02 | HML | HM3 | HAO | A8230.67H | Cable Management Finish | +Conn,3-Way 90 Deg,Thin Base Hard 67H | в | 4 |
| | THE . | | T IN O | 1 | WN | Surface Finish | +warm grev neutral | 0 | 1 |
| 1 | Line and | | | | WN | Cable Management Finish | +warm grey neutral | | |
| 13 | A02 | HMI | НМЗ | HTU | LG890.120 | | +Pedestal Add-On Cushion Top 1H 20D | UP | 3 |
| 1 | | | | | 8T 07 | Cushion Top Fabric 8T_Colors | +crossing-Pr Cat 1 +crossing pumpkin | | |
| 4 | A02 | HMI | HM3 | HAO | A2310.3072L | | +Work Surf,Sq-Edge Rect, Lam Top/TP Edge 30D 72W | J | 3 |
| | | | | | LA LA | Top Finish Edge Finish | +light ash +light ash | | |
| N | | - | | 1 | WN | Support Finish | +warm grey neutral | - | |
| 5 | A02 | HMI | НМЗ | HAO | A3353.1324 | | +Flip Dr Unit,B-Style Paint,W/Lk 13D 24W 15-1/2H | 1 | 3 |
| | | | | | KA WN WN | Lock Option Case Finish Door Finish | i +keyed alike +warm grey neutral +warm grey neutral | | |
| 6 | A02 | HMI | НМЗ | HAO | A3353.1348 | | +Warm grey neutral +Flip Dr Unit,B-Style Paint,W/Lk 13D 48W 15-1/2H | J | 3 |
| 2 | 102 | Tawn | , IIVIO | 1 AU | KA | Lock Option | +Frip Dr Unit,B-Siyle Paint, W/Lk 13D 48W 15-1/2H +keyed alike | 3 | 3 |
| , | 0.00 | | | | WN WN | Case Finish Door Finish | +warm grey neutral +warm grey neutral | | |

| Item | | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Generi | |
|-----------|------------|-----|---------|-----|---|--|--|--------|---|
| 47 | A02 | HMI | HM3 | HAO | A8120,4730J | | +Panel,Fabric,Thin Base Npwr W/Rcp Com Pt Lc 47H 30W | В | 4 |
| | | | | | WN WN 8W 07 8W | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands-Pr Cat 3 | | |
| V | | 1 | - | 1 | 07 | 8W_Colors | +strands wicker | | 1 |
| 48 | A02 | HMI | НМЗ | HAO | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +Panel,Fabric,Thin Base Nowr W/Rcp Com Pt Lc 67H 24W +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands-Pr Cat 3 +strands-Wicker | В | 2 |
| 49 | A02 | HMI | НМЗ | HAO | A8120.6748J WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +Panel,Fabric,Thin Base Npwr W/Rcp Com Pt Lc 67H 48W +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands Pr Cat 3 +strands wicker | В | 2 |
| 50 | A02 | HMI | НМЗ | HTU | LW110.20BF SB XS WN KA 5M HN | Slides Paint/Steel Type Surface Finish Lock Drawer Interior Handle | +Ped W-Pull,Mobile 20D B/F +full-extension ball-bearing +textured paint on smooth steel +warm grey neutral +keyed alike +pencil tray in box drawer, 2 file converters in file drawer +no hand drip | ΨU | 3 |
| 51 | A02 | HMI | HM3 | HTU | LW100.20FF SB XS 91 KA 1F NN | Slides Paint/Steel Type Surface Finish Lock Base Height Drawer Interior | +Ped W-Pull,Freestd 20D F/F +full-extension ball-bearing +textured paint on smooth steel +white +keyed alike +standard height +none | UP | 3 |
| 52 | | 1 | | | | | A02 Workstations | 1.1 | 3 |
| 11/2 | | - | | - | | | | | - |
| sub 53 | A02 A03 | нмі | НМЗ | HAO | A8354,48G | Cable Management Finish | A02 Subtotal +Base Pwr Adapter, Thin Base Side Covers 4-Circ W/Rcp & Corn Pt 48W +warm orey neutral | В | 2 |
| 54 | A03 | HMI | НМЗ | HAO | A8323.24E | | +Base Pwr Entry, Junct Box 4-Clrc, Thin Base 24W | В | 2 |
| 55 | A03 | HMI | НМЗ | HAO | WN A1311.D | Cable Management Finish | +warm grey neutral +15 Amp Receptacle 4 Circuit, Duplex, Circuit D isolated ground 6/Pkg | В | 1 |
| 56 | A03 | НМІ | НМЗ | HAO | WN A1311.A | Receptacle Finish | +warm grey neutral +15 Amp Receptacle 4 Circuit, Duplex, Circuit A 6/Pkg | В | 1 |
| 1 | | | | | WN | Receptacle Finish | +warm grey neutral | 1 | |
| 57 | A03 | HMI | НМЗ | HAO | AB271.47H WN WN | Surface Finish Cable Management Finish | +Fin End,Thin Base 47H +warm grey neutral +warm grey neutral | В | 2 |

| Item | | Mfg | Alt Mfg | | Part Number | Option Group | Part Description | Gener | |
|---------|----------------|--------|---------|--------|--|---|--|-------|-----|
| 58 | A03 | HMI | HM3 | HAO | A8220.47H | | +Conn,2-Way 90 Deg,Thin Base Hard 47H | В | 2 |
| | | | | | | | | | |
| | | | | | WN | Surface Finish | +warm grey neutral | 1 | |
| 59 | A03 | HMI | НМЗ | Inter | WN LG890.120 | Cable Management Finish | +warm grey neutral +Pedestal Add-On Cushion Top 1H 20D | UP | 1 |
| 99 | A03 | FIMI | HM3 | IHIO | LG890.120 | | Fredesial Add-On Cushion Top TH 200 | OF | 1 |
| | | | | | 8T | Cushion Top Fabric | +crossing-Pr Cat 1 | | |
| 1 | | | 1 | | 07 | 8T_Colors | +crossing pumpkin | | |
| 50 | A03 | HMI | НМЗ | HAO | A2310.2448L | | +Work Surf, Sq-Edge Rect, Lam Top/TP Edge 24D 48W | J | 11 |
| | 100 | 1 | 1 | 1 | | | | | - |
| | | | | | LA | Top Finish | +light ash | | 1 |
| | | | | 1 | LA | Edge Finish | +light ash | | |
| 1 | | | | 1 | WN | Support Finish | +warm grey neutral | | |
| 51 | A03 | HMI | HM3 | HAO | A8120.4724J | | +Panel, Fabric, Thin Base Npwr W/Rcp Com Pt Lc 47H 24W | В | 2 |
| | | 1.11 | | | | Carl affin sale approx | | | |
| | | | | | WN | Trim/Top Cap Finish | +warm grey neutral | | |
| | | | | | WN | Cable Management Finish | +warm grey neutral | | |
| | | | | | 8W | Surface Finish Side 1 | +strands-Pr Cat 3 | | ŀ |
| | | | 1 | 1 | 07 | 8W_Colors | +strands wicker | 1 | 1 |
| | | | 1 | 1 | 8W | Surface Finish Side 2 | +strands-Pr Cat 3 | | 1 |
| 1 | | - | | - | 07 | 8W_Colors | +strands wicker | - | |
| 62 | A03 | HMI | НМЗ | HAO | A8120.4748J | | +Panel,Fabric,Thin Base Npwr W/Rcp Com Pt Lc 47H 48W | В | 1 |
| | | | | 1 | 14.01 | Tring (Tage Case Fibriah | Inverse area equited | | |
| | | | E . | | WN | Trim/Top Cap Finish | +warm grey neutral | 1 | |
| | | 1 | | | WN | Cable Management Finish | +warm grey neutral | 1 | 1 |
| | | | | | 8W | Surface Finish Side 1 8W Colors | +strands-Pr Cat 3 +strands wicker | | 1 |
| | | 1 | | | 07 | | +strands wicker +strands-Pr Cat 3 | | |
| | | | | 1 | 8W | Surface Finish Side 2 | +strands-PI Gat 3 +strands wicker | | |
| V | 100 | - | 11110 | 111711 | 07 LW110,20BF | 8W_Colors | +Ped W-Pull,Mobile 20D B/F | IUP | 11 |
| 53 | A03 | HMI | НМЗ | HIU | LW110,20BF | | +Ped w-Pull, Mobile 20D B/P | UF | 1 |
| | | | 1 | | SB | Slides | +full-extension ball-bearing | | |
| | | | | | XS | Paint/Steel Type | +textured paint on smooth steel | 1 | 1 |
| | | | | 1 | 91 | Surface Finish | +white | | 1 |
| | | | | | KA | Lock | +keyed alike | 1 | 1 |
| | | | 1 | | 5M | Drawer Interior | +pencil tray in box drawer, 2 file converters in file drawer | | 1 |
| 11 | | | | 1 | HN | Handle | +no hand grip | | |
| 34 | | | | - | in the second se | | A03 Workstations | | 1 |
| 01 | | 1 | | | | | List toolig meeting | | |
| sub | A03 | 1 | | | | | A03 Subtotal | | |
| 65 | A04 | HMI | НМЗ | HFT | G6160.BB | | +Twist LED Task Light,Starter unit,Brkt Att | A | 71 |
| √ 36 | A04 | НМ | HM3 | HFT | G6160.CB | | +Twist LED Task Light,Add-on unit,Brkt Att | A | 71 |
| 10 | 104 | 1 IVII | TIMO | 1.1 | 00100.00 | | | | |
| 67 | A04 | HMI | HM3 | HFA | FV985.21 | | @Tackboard Cable Manager, for use with 23" and 24" high, Pkg of 12 | FV | 71 |
| 1 | | - | | 1 | | | 01// | FV | 71 |
| 58 | A04 | HMI | HM3 | HFT | FV696.34 | | +Stiffener, 33 7/8W | FV | 11 |
| 59 | A04 | HMI | HM3 | HFA | FM924.P | | +Pencil Tray for Box Dwr, for 15" wide pedestal dwr | FM | 71 |
| | 1101 | 1 | | 1 | 1.000-000 | | Construction of the stand of the construction of the | | 1 |
| 1 | l transmission | | I | | BU | Finish | +black umber | | |
| 0 | A04 | HMI | HM3 | HFT | FTS10.3072WS | - Providence and a second s | @Rectangular Surface, Sq-Edge, Ven Top/Edge, 30D 72W, No Brkts | FT | 71 |
| | 111 | | | | | | | | |
| 1 | | - | | 1 | ET | Top/Edge Finish | @clear on ash | less | |
| '1 | A04 | HMI | НМЗ | HFT | FV2E2.S30FW | | @Closed Support Leg,for Sq-Edge Surface, 30"D,Fxd Hght, Vnr | FV | 142 |
| | | 1 | | | ET | Surface Finish | @clear on ash | | |
| 2 | A04 | HMI | HM3 | HFT | FV697.72HW | | @Modesty Panel,half modesty panel, 72W Vnr | FV | 71 |
| 4 | 0.04 | Tited | TIMO | I'm I | | | Constant a station meaned bound rate and | | |
| | | | | | | | | | |

State Contract Finishes to be confirmed prior to order entry

| Item | Tag | Mfg | Alt Mfg | | Part Number | Option Group | Part Description | Gener | |
|------|------------|------|------------|-------|--|-----------------------------------|---|----------|-----|
| 73 | A04 | HMI | HM3 | HFA | FM893.0118 | 1 | @Metal Storage Pedestal Cushion Top, 1"H 18"D | FM | 71 |
| | | | | | | | in Digit | | |
| | | | | 1 | 8T | Fabric | +crossing-Pr Cat 1 +crossing pumpkin | | |
| V | | - | | - | 07 | 8T_Colors | +Crossing pumpkin +Tackboard,wall mntd,Tckble Fabric 23H 36W | FV | 142 |
| 4 | A04 | HMI | НМЗ | HFT | FV980.WM2336T | | + Tackboard, waii finita, Tekbie Fabile 2011 0000 | 1 | 1 |
| | | | | 1 | 8W | Fabric | +strands-Pr Cat 3 | 1 | |
| 1 | | | | | 07 | 8W_Colors | +strands wicker | - | 1 |
| 75 | A04 | HMG | HM3 | HGI | FV43F.WM1572WAL | 1.1.2.1.1.2 | @Ovhd Stg Cab, Sliding Full Enclsr, Wall Mount, Ven Case/Doors, | FV | 71 |
| | 1.0.1 | 1 | | | | | Trans Piste Door, Lock 15H 72W | | 1 |
| | | | | | KA | Lock Option | @keyed alike | 1 | |
| | | | | | ET | Case/Edge Finish | @clear on ash | 18 | |
| | | | | | ET | Primary Door/Edge finish | @clear on ash @opal frosted | 0 | |
| 0.4 | | - | 11110 | 11154 | J9 FM11A,18BFP03L | Secondary Door Finish | +Metal Mobile Pedestal, Arc Pull, B/F, Ptd Mll Frnt, 3/8" Lam Top, Lock | FM | 71 |
| 6 | A04 | HMI | НМЗ | HFA | FM11A, 18BFP03L | | 18D | 1.11 | 1 |
| | | | | 1 | SS | Paint/Steel Type | +smooth paint on smooth steel | 1 | |
| | | | | | MS | Surface Finish | +metallic silver | | |
| | | | | | 91 | Top Finish | +white | | |
| | | | | | NH | Pull Finish | +brushed nickel | | |
| 1 | | | | | KA | Lock Option | +keyed alike | | 1-1 |
| 77 | A04 | HMI | HM3 | HFA | FM10K.22FF2P03L | | @Metal Freestndg Ped,Bar Pull,F/F, 2 1/4H Base,Ptd Metal Frnt,3/8" | FM | 71 |
| | | | | | 17 St. 19 St. 19 | | Lam Top,Lock 22D | 1 | |
| | | | | 1 | SS | Paint/Steel Type | +smooth paint on smooth steel Skipped Option | | |
| | | | | 1 | | Surface Finish Top Finish | +white | | |
| | | | | | 91 MS | Pull Finish | +metallic silver | | |
| | | 1 | | | CB | Counterweight | +counterweight | | |
| | | | - | | KA | Lock Option | +keyed alike | 1 | |
| | | | | 1 | | | A04 Workstations | 1 | 71 |
| 016 | | | | | | | | | |
| sub | A04 | - | | Lur | 00100 00 | | A04 Subtotal +Twist LED Task Light,Starter unit,Brkt Att | A | 11 |
| 79 | A05 | HMI | НМЗ | HFT | G6160.BB | | | 1 | 1 |
| 80 | A05 | HMI | НМЗ | HFT | G6160.CB | | +Twist LED Task Light,Add-on unit,Brkt Att | A | 1 |
| 1 | | | | - | | | Lo for Original Devilations | FT | 2 |
| 81 | A05 | HMI | НМЗ | HFT | FT29B.2 | | +Surface Ganging Bracket,pair | 1 | 14 |
| 82 | A05 | HMI | НМЗ | HFT | FV696.62 | | +Stiffener, 62 1/8W | FV | 1 |
| V | | | 1.0.10 | - | 51000 10 | | +Stiffener, 48W | FV | 11 |
| 83 | A05 | HMI | HM3 | HFT | FV696.48 | | | | |
| 84 | A05 | HMI | НМЗ | PDA | A1311.B | 1 | *15 Amp Receptacle 4 Circuit, Duplex, Circuit B 6/Pkg | В | 1 |
| | | | | | 2201 | Receptacle Finish | warm grey neutral | | 1 |
| 1 | 105 | HMI | НМЗ | HET | WN FTS10,2460WS | Receptacie Fillish | @Rectangular Surface, Sq-Edge, Ven Top/Edge, 24D 60W, No Brkts | FT | 11 |
| 85 | A05 | PIWI | TIMO | Inci | F1310.2400W3 | | | | |
| | | | 1 | | ET | Top/Edge Finish | @clear on ash | 1 | |
| | 1.05 | HMI | HM3 | HFT | FTS10.3084WS | | @Rectangular Surface, Sq-Edge, Ven Top/Edge, 30D 84W, No Brkts | FT | 1 |
| 86 | LAUS | | 1 | | | | | 1 | |
| 86 | A05 | | 1 | | ET | Top/Edge Finish | @clear on ash @Rectangular Surface,Sq-Edge, Ven Top/Edge, 24D 72W, No Brkts | FT | -11 |
| 86 | AUS | | 1 | | | | (a) Rectangular Surface So-Edde, Ven 100/Edde, Z40 / ZW, NO DIKIS | IC1 | 1. |
| 1 | A05 A05 | HMI | НМЗ | HFT | FTS10.2472WS | | Centeriangular canadad anget cancel a g t | 1 | |
| 86 | | HMI | нмз | HFT | FTS10.2472WS | Too/Edge Finish | | | |
| 87 | A05 | | | HFT | FTS10.2472WS ET | Top/Edge Finish | @clear on ash @Closed Support Leg,for Sq-Edge Surface, 24"D,Fxd Hght, Vnr | FV | 2 |
| 87 | | НМІ | НМЗ НМЗ | | FTS10.2472WS ET | | @clear on ash @Closed Support Leg,for Sq-Edge Surface, 24"D,Fxd Hght, Vnr | FV | 2 |
| 87 | A05 | | НМЗ | HFT | FTS10.2472WS ET FV2E2.S24FW ET | Top/Edge Finish Surface Finish | @clear on ash @Closed Support Leg,for Sq-Edge Surface, 24"D,Fxd Hght, Vnr @clear on ash | | |
| 1 | A05 | | | | FT\$10.2472WS ET FV2E2.S24FW ET | | @clear on ash @Closed Support Leg,for Sq-Edge Surface, 24"D,Fxd Hght, Vnr | FV FV | 2 |

C:\Users\ctamqn\Desktop\State Contract FINAL.sp4

1

| Item | Tag | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Generi | i Qty |
|------|---------|-------|---------|-------|------------------------------|--------------------------------------|---|--------|-------|
| 90 | A05 | HMI | HM3 | HFT | FV697.84FW | | @Modesty Panel,full modesty panel, 84W Vnr | FV | 11 |
| | 1 | | | | - | | | | |
| V | 1.00 | - | | 1.054 | ET FV980.WM2342T | Surface Finish | @clear on ash +Tackboard,wall mntd,Tckble Fabric 23H 42W | FV | 1 |
| 91 | A05 | HMI | НМЗ | HPA | FV980, WM23421 | | + Tackboard, wait minid, Tckble Pablic 23H 42W | 1 v | 1 |
| | | | | | 8W | Fabric | +strands-Pr Cat 3 | | |
| | | | | | 07 | 8W Colors | +strands wicker | | |
| 92 | A05 | HMI | HM3 | HEA | FV980.WM2348T | | +Tackboard,wall mntd,Tckble Fabric 23H 48W | FV | 11 |
| | | 1 | | 1 | | | | 1 | |
| | () () | | | 1 | 8W | Fabric | +strands-Pr Cat 3 | | 1 |
| 1 | | | | 1 | 07 | 8W_Colors | +strands wicker | - | 1 |
| 93 | A05 | HMI | | HFT | FV43H.WM1542WWTL | | @Ovhd Stg Cab, Hinged Doors, Wall Mount, Ven Case/Doors, | FV | 1 |
| | | | | | | | Finished Case Top, Lock, 15H 42W | | |
| | | | 1 | | KA | Lock Option | @keyed alike | | |
| 1.1 | | | 1 | | ET | Case/Edge Finish Door/Edge Finish | @clear on ash @clear on ash | | 1 |
| 94 | | HMI | | UFT | FV43H.WM1548WWTL | DoonEdge Finish | @Ovhd Stg Cab, Hinged Doors, Wall Mount, Ven Case/Doors, | FV | 11 |
| 34 | A05 | HMI | | HFT | FV43H.VV/1548VVV1L | | Finished Case Top, Lock, 15H 48W | 1 | 1 |
| | | | 1 | | KA | Lock Option | @keyed alike | | |
| | | | | | ET | Case/Edge Finish | @clear on ash | | |
| 11 | 5 | 1 | | | ET | Door/Edge Finish | Oclear on ash | | |
| 95 | A05 | HMI | HM3 | HFA | FF10A.24BBF2W04L | | @Wood Freestd Ped, Arc Pull, BBF, 2 1/4H Base, Vnr Case/Front, 3/8" | FF | 11 |
| | 1000 | 1000 | 1 | 1 | and the second second second | | Vnr Top,Lock 24D | | |
| | 11 | 1 | | | ET | Case Finish | @clear on ash | | |
| | | | 1 | 1 | ET | Front Finish | @clear on ash | | |
| | | 1 | | | ET | Top Finish | @clear on ash | | |
| | | | | | NH | Pull Finish | @brushed nickel | 1 | |
| | | | | 1 | CB | Counterweight | @counterweight @keyed alike | 1 | |
| 2 | | 1.000 | | | KA | Lock Option | @Wood Freestd Lat File, Arc Pull, FF, 2 1/4H Base, Vnr, 3/8" Vnr | FF | 11 |
| 96 | A05 | HM | НМЗ | HFA | FF20A.3020FF2W04L | | Top,Lock 30W 20D | 1 | 1 |
| | | | | | ET | Case Finish | Oclear on ash | | 1 |
| | | | 1 | 1 | ET | Front Finish | @clear on ash | | |
| | | | 1 | | ET | Top Finish | @clear on ash | 1 | |
| | | | | 1 | NH | Pull Finish | @brushed nickel | | 1 |
| | | | 1 | | СВ | Counterweight | @counterweight | | 1 |
| 1 | 1 | 1 | | | KA | Lock Option | @keyed alike | | _ |
| 97 | A05 | HMI | HM3 | HFA | FF20A.3620FF2W04L | | @Wood Freestd Lat File, Arc Pull, FF, 2 1/4H Base, Vnr, 3/8" Vnr | FF | 11 |
| | | | | | | 5. · · · | Top,Lock 36W 20D | | |
| | 1 | 1 | | | ET | Case Finish | @clear on ash | | 1 |
| | | | | 1 | ET | Front Finish | @clear on ash @clear on ash | | |
| | | 1 | | 1 | ET NH | Top Finish Pull Finish | @brushed nickel | 1 | |
| | | | | | CB | Counterweight | @counterweight | | |
| | | | | | KA | Lock Option | @keyed alike | | |
| 98 | | | | 1 | | | A05 Workstations | | 1 |
| 6 | | 1 | | | | | | | |
| sub | A05 | 1 | | 1 | | | A05 Subtotal | | 1 |
| 99 | C01 | HMI | HM3 | HST | CQ53MA | | +Chr,Setu Multipurpose,4-star base,Swivel/fxd Height,lyris suspension | RY | 22 |
| | | | | | | Sector Sector Sector | seat/bck,ribbon arms | | 1 |
| | | 1 | | 1 | SG | Frame Finish | +slate grey | | |
| | | | | | 5Y | Base Finish | +semi-polished | | |
| | | | | 1 | X8 | Casters/Glides | +glide, low profile, hard floors or carpet | | 1 |
| | 1 | | 1 | 1 | NNN | Bumper | +none | | |
| | | 5 | 1 | | | | | | |
| | | | | | 4W 25 | Suspension Material 4W Colors | +lyris 2-Pr Cat 1 +lyris 2 berry blue | | |

State Contract Finishes to be confirmed prior to order entry

| Item | Tag | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Generi | |
|------|-----|-----|---------|------|--|--|--|--------|----|
| | C02 | HMI | НМЗ | HST | CJ121AACC N2 G1 C7 G1 G1 BK | Back Support Option Base/Frame Finish Casters/Glides Seat Finish Back Finish Armpad Finish | +Wk Chr,Celle,Std-Ht,Std Tlt,Adj Arms/Seat,Cellular Susp seat and bck +no additional support +graphite +2 1/2" caster, black yoke, hard floors or carpet +graphite +graphite +black | TR | 77 |
| sub | C02 | | | | | | C02 Subtotal | CW | 37 |
| 101 | C03 | HMI | НМЗ | HMH | MGA01.N | | +Air-Chair, Folding, No Arms, 2/Pkg - | Cw | |
| Ý | | | | | YBM | Finish | C03 Subtotal | 1 | + |
| sub | C03 | - | | LIGT | 1110 11011 | | +Caper Stacking Chair, Molded Seat, No Arms | WC | 8 |
| 102 | C04 | HMI | НМЗ | HST | WC410N MS 3M YX SY | Frame Finish Seat/Back Finish Casters/Glides Arm Finish/Arm Cap Finish | +metallic silver +berry blue +Floor Saver Glide insert, hard floors only +silver grey | | |
| sub | C04 | | | 1 | | | C04 Subtotal | 1 | |
| 103 | C05 | HMI | НМЗ | HST | AER1B23DW ZSS G1 G1 G1 G1 C7 BK 231 03 | Back Support Option Frame Finish Chassis Finish Base Finish Casters/Glides Armpad Finish 82 Pellicle 231_Colors | +Work Chair, New Aeron, B Size, Std-Hgt Range Adj, Tit Lim and Seat Angle, Fully Adj Arms, Non-Uphst Armpads +PostureFit +graphite +graphite +graphite +2 1/2" caster, black yoke, hard floors or carpet +black +8Z Pellicle-Pr Cat 1 +8Z Pellicle graphite | EC | 1 |
| sub | C05 | 1 | | 1 | | | C05 Subtotal | _ | _ |
| 104 | F01 | HMI | HM3 | MER | 26-3618-5D XS WN T2 KA B2 CB 9R | Paint/Steel Type Surface Finish Top Lock Base Height Counterweight Drawer Interior | +File,FS Lat Std Pull, 1 13 1/8" FD/4 11 3/4" Dwr 36W 18D +textured paint on smooth steel +warm grey neutral +1 1/4"-high painted metal top with squared edge +keyed alike +1 1/2"-high base +counterweight (recommended) +side-to-side filing rail F01 Subtotal | MF | 61 |
| sub | F01 | | | 1 | | | | IME | 11 |
| 105 | F02 | HMI | HM3 | MER | 26-3618-3N XS WN TL LBA LBA KA B2 CB 9R | Paint/Steel Type Surface Finish Top Top Finish Edge Finish Lock Base Height Counterweight Drawer Interior | +File,FS Lat Std Pull,3 11 3/4" Dwr 36W 18D +textured paint on smooth steel +warm grey neutral +1 1/4"-high laminate top with vinyl edge +clear on ash +keyed alike +1 1/2"-high base +counterweight (recommended) +side-to-side filing rail | | |
| | | 1 | | | | | | | |

.

| tem | Tag | Mfg | Alt Mfg | | Part Number | Option Group | Part Description | Gener MF | i Qty |
|----------|------------|------|---------|-----|--|---|--|-----------------|-------|
| 06 | F03 | HMI | НМЗ | MER | 26-3018-5D XS WN T2 KA B2 CB 9R | Paint/Steel Type Surface Finish Top Lock Base Height Counterweight Drawer Interior | +File,FS Lat Std Puli,1 13 1/8" FD/4 11 3/4" Dwr 30W 18D +textured paint on smooth steel +warm grey neutral +1 1/4"-high painted metal top with squared edge +keyed alike +1 1/2"-high base +counterveight (recommended) +side-to-side filing rail | MF | 2 |
| ub | F03 | | | | | | F03 Subtotal @Lat,Freestd Arc-Pull,Wood Vnr Frt | MF | 11 |
| 107 | F04 | HMI | HM3 | HCF | 242FFA 36 18 5N 9R SS NE SS WW WN TF ET KA KA NH B2 25 | Width Depth Configuration Drawer Interior Steel Type Surface Finish Top Veneer Front/Top Finish Locks Pull Finish Base Height | © 142, Freeste Arc-Pain, wood win Fre © 36° wide © 16° deep © 51° 342 *high drawers © side-to-side filing rail © monstandard pain (nonstandard) WARM GREY NEUTRAL © 11/4″-high wood veneer top © clear on ash © keyed alike © brushed nickel © 11/2″-high base © counterweight | | |
| 1 | | | | 1 | CB | Counterweight | | | |
| ub 08 | F04 F06 | HMI | HM3 | - | 26-3618-3N | | F04 Subtotal +File,FS Lat Std Pull,3 11 3/4" Dwr 36W 18D | MF | 2 |
| | | | | | XS WN TF EV KA B2 CB 9R | Paint/Steel Type Surface Finish Top Veneer Top Finish Lock Base Height Counterweight Drawer Interior | +textured paint on smooth steel +warm grey neutral @ 11/4"-high wood veneer top @walnut on ash +keyed alike +1 1/2"-high base +counterweight (recommended) +side-to-side filing rail | | |
| sub | F06 | | | | | | F06 Subtotal | B | 2 |
| 109 | Mail | | НМЗ | 1 | AO215.62 | | +Draw Rod 62H | B | 2 |
| 110 | Mail | HMI | HM3 | HAO | A8271.67H WN WN | Surface Finish Cable Management Finish | +Fin End,Thin Base 67H +warm grey neutral +warm grey neutral | | |
| 111 | Mail | HMI | HM3 | HAO | A3615.1624 | | +Tile,Rail Action Office Series 2 24W | J | 2 |
| 00.0 | | | | 1 | 2.5 | and the state of the little state | | | |
| 1 | | | 1 | | WN | Surface Finish | +warm grey neutral | ZZ | 80 |
| 112 | Mail | HMI | НМЗ | HAO | Y7216.10 | | +Paper Tray 10W | 1 ^{cc} | 00 |
| 1 | 1 | | | | WN | Surface Finish | +warm grey neutral +Tile,Rail Action Office Series 2 48W | | 4 |
| 113 | Mail | HMI | HM3 | HAO | A3615.1648 | Surface Finish | +Tile, Rail Action Office Series 2 4800 +warm grey neutral | 0 | |
| V | 1 | 1000 | 1.00.00 | - | WN | | +Wk Surf Bracket,Left 4/Pkg | J | 1 |
| 114 | Mail | HMI | HM3 | HAO | A2390.L | | i www.com.com.com.com.mg | | |
| 115 | Mail | HMI | HM3 | HAC | A8220.67H | | +Conn,2-Way 90 Deg,Thin Base Hard 67H | В | 3 |
| | | | | 1 | WN | Surface Finish | +warm grey neutral | | |
| | 1 | | 1 | | WN | Cable Management Finish | +warm grey neutral +Wk Surf Bracket, Right 4/Pkg | - | -1 |
| J | | | | | A2390.R | | | | |

| Item | Tag | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Generi | Qty |
|------------|-------------|------|---|------|----------------------------------|--|--|--------|-----|
| 117 | Mail | HMI | HM3 | HAO | A2310.2448L | T | +Work Surf, Sq-Edge Rect, Lam Top/TP Edge 24D 48W | J | 1 |
| | | | | | WN WN | Top Finish Edge Finish | +warm grey neutral +warm grey neutral | | |
| 1 | | - | | - | WN | Support Finish | +warm grey neutral +Work Surf,Sq-Edge Rect, Lam Top/TP Edge 24D 72W | 1 | 1 |
| 118 | Mail | HMI | HM3 | HAO | A2310.2472L WN WN WN | Top Finish Edge Finish Support Finish | +work Suri, Sq. euge Red, Lan Top TP Luge 240 72w +warm grey neutral +warm grey neutral +warm grey neutral | | |
| 119 | Mail | HMI | HM3 | HAO | A8120.6724J | | +Panel, Fabric, Thin Base Npwr W/Rcp Com Pt Lc 67H 24W | В | 4 |
| | | | | | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands-Pr Cat 3 +strands wicker | | |
| 120 | Mail | HMI | HM3 | MER | 26-3620-1 | | +Lateral File Std Pull 1-High 36W 20D | MF | 1 |
| u\$ | | | and and a particular state of the second state of t | | XS WN NT OS NS1 | FF10K.20BBF2WNTL Surface Finish Top Module Selection Interior Selection Overhead Lock #1 | +textured paint on smooth steel +warm grey neutral +no top @Overhead Sld Dr 26-1/4 +1 shelf total Skipped Option | | |
| 121 | Mail | HMI | HM3 | MFS | 46-3015-OB-29 | | +Bkcase,Frstnd,No Doors 30W 26 1/4H | MS | 2 |
| | | | | | XS WN NT NS1 B2 | Paint/Steel Type Surface Finish Top Shelves Base Height | +textured paint on smooth steel +warm grey neutral +no top +1 shelf total +1 1/2'-high base | | |
| 122 | Mail | HMI | HM3 | HAO | A8120.6748J | 1 | +Panel, Fabric, Thin Base Npwr W/Rcp Com Pt Lc 67H 48W | B | 2 |
| | | | | | WN WN 8W 07 8W 07 | Trim/Top Cap Finish Cable Management Finish Surface Finish Side 1 8W_Colors Surface Finish Side 2 8W_Colors | +warm grey neutral +warm grey neutral +strands-Pr Cat 3 +strands wicker +strands-Pr Cat 3 +strands wicker | | |
| 123 | Mail | HMI | НМЗ | IPDA | A1311.B | | *15 Amp Receptacle 4 Circuit, Duplex, Circuit B 6/Pkg | В | 11 |
| | Inca | 1 | | | | | | | |
| V | 1 | - | 11110 | 1000 | WN A8355.48E | Receptacle Finish | +warm grey neutral +Base Pwr Adapter, Thin Base No Side Coverss 4-Circ 48W | B | 11 |
| 124 | Mail | HMI | HM3 | HAO | A0300.40E | | Thase I win Adapter (finit have no olde opticities) and terr | 1 | |
| 125 | Mail | HMI | НМЗ | HAO | A8323.24E | | +Base Pwr Entry, Junct Box 4-Circ, Thin Base 24W +warm grey neutral | В | 1 |
| 1 | 1 | 1.00 | 11140 | 1000 | WN A1311.D | Cable Management Finish | +15 Amp Receptacle 4 Circuit, Duplex, Circuit D isolated ground 6/Pkg | B | 11 |
| 126 | Mail | HMI | НМЗ | HAU | WN | Receptacle Finish | +warm grey neutral | | |
| 127 | Mail | - | 1 | 1 | | | Mail Total | 1 | 1 |
| 01 | 5 | | | | | | No. 1 Contractor | | |
| sub 128 | Mail T01 | HMI | | НСМ | ET1V42RSWSWNG ET BK PA | Top Finish Column Finish Base Finish | Mail Subtotal @Eames Conference Table,Rectangular,Sogmented Base,Veneer Top,Sq Wood Edge,No Grommet,28-1/2H 36D 60W @clear on ash @black @polished aluminum | F | 1 |

| Item | Tag | Mfg | Alt Mfg | Cat | Part Number | Option Group | Part Description | Generi | Qty |
|------|-----|-----|---------|-----|---|---|--|--------|-----|
| sub | T01 | | | | and the second se | | T01 Subtotal | | |
| 129 | T02 | HMI | | HGN | ET992.AB06 PA BK | Bezel Finish Faceplate Finish | @Oval Power Mcdule, 4 Simplex Rcpt, Conduit w/Open End For Hard Wring, 6Ft Conduit @polished aluminum @black | F | 1 |
| 130 | T02 | HMI | | HGN | ET154RSWCR OU PA BK PA G | Top/Edge Finish Grommet Finish Column Finish Base Finish Casters/Glides | @Eames Conference Table, Rectangular, Segmented Base, Veneer Top/Edge, Single Centered Oval Cutout, 28-1/2H 48D 84W @walnut +polished aluminum +black +polished aluminum +olides | F | 2 |
| sub | T02 | 1 | | | | 1 | T02 Subtotal | | |
| 131 | Т03 | HMI | НМЗ | | DT1CS.36LP LBA LBA 91 57 | Top Finish Edge Finish Leg/Base Finish Casters/Glides | +Everywhere Round Table,Squared Edge,Lam Top/Thermo Edge,Post Leg 35Dia +clear on ash +clear on ash +white +yhides | IV | 2 |



architects + engineers

 538 Broad Hollow Road, 4th Floor East
 tel
 631.756.8000

 Melville, NY 11747
 fax
 631.694.4122

Dormitory Authority of New York State Partial Sixth Floor Interior Renovations and Asbestos Abatement to Bronx Family and Criminal Court H2M Project Number: DASN 1506 August 23, 2018

| Bulletin 5: | AFL Construction Co, Inc |
|-------------|----------------------------|
| FROM: | H2M architects + engineers |
| SUBJECT: | Revised Furniture Plan |

This information bulletin is to note the following changes for the Partial Sixth Floor Interior Renovations and Asbestos Abatement to Bronx Family and Criminal Court:

SK-14 Revised Furniture Plan

Please see the attached sketch which incorporates the changes to Furniture Layout due to as built conditions in the field as of 8/23/2018.

AS

cc: file, H2M, STV, DASNY, ACS

X:\DASN(Dormitory Authority) - 10260\DASN1506 - Bronx Court Renovations\08 - CON\Correspondence\Information Bulletin 05 - Revised Furniture Plan\18-0823 InformationBulletin 05.doc



