

ADDENDUM NO.: 1

IFB or RFP NO.: Bid No. 639
Description: Furnish, Deliver and
Install CLEAR LED Displays
Project: NYCCT New Academic Bldg.

Bid Opening Date: July 17, 2019

Specifics of the Addendum:

The Questions below were received regarding the bid specifications (responses provided). Also, see attached additional specification information .

- 1. Is this a transparent LED? Yes
- 2. What is the LED being mounted to? Refer to AV-652.00 as issued under Bulletin 70 in 2016.
- 3. For the sign controller, will it be cell, RFW or Lan? Lan and connected to the school's Lan
- 4. PLEASE QUOTE QUANTITIES AS LISTED IN ATTACHED.

All other terms and conditions of the original Invitation for Bids or Request for Proposals shall remain the same. This notice shall be signed and attached to the Invitation for Bids and shall form a part of your bid.

338530 - DUTCH G&H - PHASE 1 - FLOORS 1 THROUGH 3 + LOADING DOCK

WINDOW SHADES

Blackout Shades (SUNBLOC - SERIES SB9000 - CREAM)

- All student bedrooms
- Director's Apartment Bedrooms

Sizes + Quantities (width x height):

Building H - 1st Floor: (11) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "; (4) 35 $\frac{1}{4}$ " x 68 $\frac{3}{4}$ "

Building G – 1st Floor: (11) 97 ¾" x 68 ¾"; (2) 35 ¼" x 68 ¾"

Building H – 2^{nd} Floor: (19) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "; (4) 35 $\frac{1}{4}$ " x 68 $\frac{3}{4}$ "

Building G - 2nd Floor: (20) 97 ¾" x 68 ¾"; (4) 35 ¼" x 68 ¾"

Building H – 3^{rd} Floor: (20) 97 ¾" x 68 ¾"; (4) 35 ¼" x 68 ¾"

Building G – 3rd Floor: (19) 97 ¾" x 68 ¾"; (4) 35 ¼" x 68 ¾"

Total Blackout shades: (101) 97 ¾" x 68 ¾"; (22) 35 ¼" x 68 ¾"

3% Light Filtering (SHEERWEAVE PW4600 - PEWTER)

- All 2nd and 3rd floor lounges
- All 2nd and 3rd floor studies (except 3rd floor north elevation
- 1st floor lounges at south elevation
- 1st floor meeting rooms at south elevation
- RD Office at 1st floor
- 1st floor meeting room at north elevation
- Supervising Janitor's Office in Loading Dock (no pocket, needs valance unit (clear anodized))

Sizes + Quantities (width x height):

Building H – 1^{st} Floor: (5) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "; (1) 40" x 36" (loading dock)

Building G – 1st Floor: (7) 97 ¾" x 68 ¾"

Building H $- 2^{nd}$ Floor: (2) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "

Building G – 2nd Floor: (1) 97 ¾" x 68 ¾"

Building H – 3^{rd} Floor: (2) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "

Building G – 3^{rd} Floor: (3) 97 $\frac{3}{4}$ " x 68 $\frac{3}{4}$ "

Total 3% Light Filtering Shades: (20) 97 ¾" x 68 ¾"; (1) 40" x 36"

Double Roller – Blackout + 3% Light Filtering (SUNBLOC SB9040 – GRAY + SHEERWEAVE PW4600 - PEWTER)

- Student Success Center (no pocket, mounted to mullion (clear anodized valance)
- Director's Apartment Kitchen
- Director's Apartment Living Room

Sizes + Quantities (width x height):

Building G - 1st Floor: (2) 97 ¾" x 68 ¾"; (2) 35 ¼" x 68 ¾"

Building G&H (student Success): (2) 97 ¾" x 95 ½"; (2) 97 ¾" x 70"

Total Double Roller Blackout + 3% Light Filtering Shades: (2) 97 $\frac{1}{2}$ " x 68 $\frac{1}{2}$ "; (2) 35 $\frac{1}{2}$ " x 68 $\frac{1}{2}$ "; (2) 97 $\frac{1}{2}$ " x 95 $\frac{1}{2}$ "; and (2) 97 $\frac{1}{2}$ " x 70"

Areas where no shades are needed

Studies on 1st and 3rd floor north elevation

All Laundry Rooms

Fallout Shelter

Open to belows

Vestibules/lobbies