



ADDENDUM NO.: 004

IFB NO.: 683

Description: Furnish and Deliver Yealink
Devices

Project: CUNY - Queens College -
Telephone Upgrade

Bid Opening Date: 01/25/2021 @
2:30 p.m.

Specifics of the Addendum: Updated Detailed Specifications and Bid Breakdown & Schedule

Section A – Detailed Specifications

Detailed Specifications have been updated to include revised part numbers and quantities.

Section B – Bid Breakdown & Schedule

Bid Breakdown & Schedule has been updated to reflect the revisions made to the Detailed Specifications.

All other terms and conditions of the original Invitation for Bids or Request for Proposals shall remain the same. This notice shall be signed and attached to the Invitation for Bids and shall form a part of your bid.

Bid No. 683 - Queens College Telephone Upgrade
Revised Specifications
Thursday, January 7, 2021

Part Number	Description	Qty
SIP-VP59-Teams	Yealink VP59 - Flagship Smart Video Phone Compatible with Microsoft Teams	150
PS12V1000US	Compatible Adapter for Yealink VP59-Teams Phone	150
MP58-Teams	Yealink MP58 - MS Teams Smart Business Phone	815
PS5V2000US-Slim	Compatible Adapter for Yealink MP58-Teams Phone	815
MP54-Teams	Yealink MP54-Microsoft Teams Entry Level/CAP Phone	1780
PS5V2000US-Slim	Compatible Adapter for Yealink MP54-Teams Phone	1780
CP960-Teams	Yealink CP960-Teams Edition - Conference Room - Optima HD IP Conference Phone	10
YLPOE30 PSU	Compatible Adapter for Yealink CP960-Teams Phone	10
UH33	Yealink UH33 - Headset	200

* Product Data Sheets are attached for your review and coordination

Flagship Smart Video Phone Compatible with Microsoft® Teams

The VP59 Android-based phone is designed as an executive desk phone and also can be applied for huddle rooms. With an 8-inch adjustable multi-point touch screen and easy Teams menu navigation, all of these make collaboration easier than ever. Presenting a standalone voice solution and an unparalleled audio clarity, the VP59 is armed with Yealink's Optima HD Voice technology and Yealink Noise Proof technology. The VP59 provides the added flexibility for executives and professionals with its Bluetooth/Wi-Fi connectivity and the ability of USB headset connection. Furthermore, it will be armed with wireless microphone (available in H2, 2019), HDMI output and detachable camera, making it easy to be deployed in the huddle room.



8-inch Multi-touch Screen



HD Audio



Office 365



Android 7.1 OS



Dual-band Wi-Fi



Bluetooth Headset



HDMI Output



Key Features and Benefits

Easy Collaboration

Fully compatible with Office 365, the VP59 offers a rich and talented ecosystem for your team. The 8-inch adjustable multi-point screen and the Teams-tailored user interface provide a rich visual presentation and easy menu navigation. The built-in Bluetooth 4.2 and dual band Wi-Fi boast unparalleled functionality and expansibility. With HDMI output features, users are able to sync the screen to a TV or monitor. The all-in-one product design integrates a codec, a camera and a microphone. Setup and deployment are possible with even a single line (Internet cable or power cable).

HD Audio

Yealink Noise Proof technology effectively eliminates background noises. You can connect VP59 to wireless microphones to cover an open work space (available in H2, 2019).

Flexible Video Experience

The camera can be extended by a 10-foot (3-meter) USB cable and mounted on the top of a monitor with a bracket, bringing flexibility to camera location and meeting view.

- 8 inch (1280 x 800) capacitive adjustable touch screen
- Optimal HD audio, support Yealink Noise Proof technology
- Based on Android 7.1
- HDMI for connection to monitor or TV
- 2 mega-pixel HD camera with privacy shutter
- Built-in Bluetooth 4.2, supports Bluetooth headset
- Built-in dual band 2.4G/5G Wi-Fi
- USB 2.0 port
- Dual-port Gigabit Ethernet, PoE support
- Full-duplex hands-free speakerphone with AEC
- Microsoft Teams-tailored user interface
- Support Microsoft/Yealink/Unify Square device management platform

Audio Features

- HD voice: HD handset, HD speaker
- Hearing aid compatible (HAC) handset
- Yealink Noise Proof Technology
- Full-duplex hands-free speakerphone with AEC
- VAD, CNG, AEC, PLC, AJB, AGC

Video Features

- 2 mega-pixel camera with privacy shutter
- Horizontal field of view: 84°
- Vertical field of view: 54°
- Adjustable camera
- Plug and Play

Call Handling Features

- Incoming/Outgoing P2P call
- Cloud PSTN call
- Call hold/Call mute/Call transfer/Call forward
- Group SimRing
- Synchronized call logs
- Visual voicemail

Conference Features

- Exchange Calendar Integration
- Meeting Call controls (Mute/unmute, hold/resume, hang up, add/remove participant)
- Meeting Details
- Schedule Teams meeting
- Join Skype for Business meetings

Presence and Contacts

- Presence Integration, Presence status control: available, busy, DND, be right back, off work, away, reset status
- Set status message
- Corporate Directory Access
- Contact Picture Integration

Phone Features

- Personal Mode/Shared Mode
- Sign in with user credentials

- Sign in via website
- Dark Theme
- Time Display
- Phone lock/unlock
- Emergency calls
- Accessibility
- Screensaver
- Power Saving
- Wi-Fi connectivity
- Supports Bluetooth headsets
- Supports USB headsets

Display and Indicator

- 8" 1280 x 800 capacitive touch screen IPS LCD
- 10 points multi-touch surface
- LED for call and message waiting indication
- Multilingual user interface
- Teams tailored interface, Full keyboard

Interface

- Dual-port Gigabit Ethernet
- Power over Ethernet (IEEE 802.3af), class 3
- Built-in dual band Wi-Fi:
 - Network standard: IEEE802.11a/b/g/n/ac
 - Transmission rate: Up to 433Mbps (dynamic)
 - Frequency range: 2.4GHz/5.0GHz
- Built-in Bluetooth 4.2:
- 1 x USB port (2.0 compliant) for USB headsets
- 1 x USB port (3.0 compliant) for extending camera with USB3.0 cable
- 1 x RJ9 (4P4C) handset port
- 1 x RJ9 (4P4C) headset port
- 1 x HDMI output port
- 1 x Security lock port

Management

- Configuration: browser/phone/Auto provisioning
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot

- Package tracing export, system log
- Screenshot via URL
- View license status
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform
- Supports Unify Square Device Management Platform

Network and Security


- IPv4/IPv6
- IP Assignment: Static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- Transport Layer Security (TLS)
- HTTPS certificate manager
- Digest authentication using MD5/MD5-sess
- IEEE802.1X

Other Physical Features

- Color: Classic Grey
- External Yealink AC adapter (optional): AC 100~240V input and DC 12V/1A output
- USB output currency: 5V \equiv 500mA
- Power consumption (PSU): 6.24W-9W
- Power consumption (PoE): 7W-10.2W
- Dimension (W*D*H*T): 273mm*226mm*285mm*42mm
- Operating humidity: 10~95%
- Operating temperature: -10~50°C (+14~122°F)

Package Features

- Package content:
 - Yealink VP59 IP phone
 - Handset with handset cord
 - Ethernet Cable
 - Stand
 - Quick Start Guide
 - Power Adapter (Optional)
- Qty/CTN: 5 PCS
- N.W/CTN: 12.39 kg
- G.W/CTN: 13.43 kg
- Giftbox size: 336 mm*364 mm*112 mm
- Carton Meas: 587 mm*376 mm*350 mm





About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2019 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2019 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R. China
Copyright©2019 Yealink Inc. All right reserved.

Smart Business Phone

Based on Android 9.0 OS, Yealink MP58 IP phone provides a supreme Microsoft Teams user experience. It facilitates high-quality collaboration thanks to magnet handset, 7-inch adjustable touch screen and dedicated Teams button. The MP58 can support the band-new Bluetooth wireless handset which allows the user to leave the desk and continue talking, not only provides crystal clear voice communications but also adds flexibility for executives and professionals. With the Yealink EXP50 Expansion Modules, the phone extends up to 180 contacts.



7-inch Multi-touch Screen



Android 9.0



Wireless Handset



Bluetooth Headset



Hybrid Mode



Gigabit



HD Audio



Microsoft 365



HAC



SILK Codec



Key Features and Benefits

Excellent Calling Experience

Yealink Optima HD Voice technology combines cutting-edge hardware and software, including the Yealink Noise Proof Technology, to fully improve its audio quality and deliver crystal clear voice communications. MP58 features the hardware of full-duplex hands-free speakerphone with AEC and HAC handset, allows the user to concentrate on the content of a call.

Rich Functionality

The 7-inch adjustable multi-point screen and the Microsoft-tailored user interface provide a rich visual presentation and easy menu navigation. The MP58 is fully compatible with Microsoft 365, making for a rich and talented ecosystem for your team. The MP58 boasts unparalleled functionality and expansibility with built-in Bluetooth, built-in Wi-Fi, USB headset, Hybrid mode, Boss/Admin and the optional Bluetooth wireless handset features, all of these make collaboration easier than ever.

Efficient Provisioning and Management

The MP58 is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralized deployment, management and updating. Moreover, MP58 supports several device management platforms, including Microsoft/Yealink/Unify Square Device Management Platform.

- Android 9.0
- 7 inch (1024 x 600) Capacitive Adjustable Touch Screen
- Optimal HD audio, Yealink Noise Proof Technology
- Dedicated Microsoft Teams Button
- Supports Upgradability of Firmware to Teams or SFB Edition
- Built-in Bluetooth 4.2 and Dual Band 2.4G/5G Wi-Fi
- Supports Yealink Bluetooth Wireless Handset BTH58
- Supports up to 3 Expansion Module EXP50
- 2 x USB Type A ports
- Dual-port Gigabit Ethernet, supports PoE
- Supports Microsoft/Yealink/Unify Square Device Management Platform
- Hybrid mode (Teams version only)

Audio Features

- HD voice: HD handset, HD speaker
- Hearing aid compatible (HAC) handset, magnet handset
- Yealink Noise Proof Technology
- Audio codec: G.722, G.711(A/μ), G.729A/B, G.726, G.723.1, Ilbc, SILK
- Full-duplex hands-free speakerphone with AEC
- VAD, CNG, AEC, PLC, AJB, AGC

Phone Features

- Call controls
 - Call hold/Call mute/Call transfer/Call forward
 - Visual voicemail
 - Synchronized call logs
- Meeting call controls
 - Mute/unmute, hold/resume
 - Hang up
 - Add/remove participant
 - Join Skype for Business meetings
- Phone lock/unlock
- Emergency calls
- Hot desking
- Boss/Admin function
- Accessibility
- Screensaver, Power saving
- Common Area Phone (CAP)
- Teams & SIP Hybrid mode (Teams version only)

Display and Indicator

- LCD screen:
 - 7" 1024×600 capacitive touch screen
 - Vertical tilt angle adjustable 48°
 - 5 points multi-touch surface
- Dark theme
- Multi-language user interface
- Full keyboard
- LED for call and message waiting indication
- Dedicated Teams button
- Presence integration

Interface

- Dual-port Gigabit Ethernet
- Power over Ethernet (IEEE 802.3af), class 3
- Built-in dual band 2.4G/5G Wi-Fi
- Built-in Bluetooth
 - Bluetooth handset BTH58
 - Bluetooth headsets
- 2 x USB Type A port
 - USB headsets
 - Up to 3 expansion module EXP50
- 1 x Security lock port
- 1 x RJ9 (4P4C) handset port
- 1 x RJ9 (4P4C) headset port

Management

- Configuration: Browser/Phone/Auto Provisioning and Device Management Platform
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot
- Package tracing export, system log
- Screenshot via URL
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform (YMDP/YMCS)
- Supports Unify Square Device Management Platform

Network and Security

- IPv4/IPv6
- IP Assignment: Static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- Transport Layer Security (TLS)
- HTTPS certificate manager
- Digest authentication using MD5/MD5-sess
- IEEE802.1X


Other Physical Features

- Color: Classic Grey
- External Yealink AC adapter (optional): AC 100~240V input and DC 5V/2A output
- USB output currency: 5V $\overline{=}$ 500mA
- Power consumption (PSU): 2.5W~7W
- Power consumption (PoE): 3.3W~7.6W
- Dimension (W*D*H*T): 259mm*196mm*164mm*45mm
- Operating humidity: 10~95%
- Operating temperature: -10~50°C (+14~122°F)

Package Features

- Package content:
 - Yealink MP58 IP phone
 - Handset (optional):
 - Wired handset with handset cord
 - BTH58 Bluetooth wireless handset
 - Ethernet Cable (2m CAT5E FTP Cable)
 - Stand
 - Quick Start Guide
 - Power Adapter (Optional)
- Qty/CTN: 5 PCS
- N.W/CTN: 8.5kg
- G.W/CTN: 9.1kg
- Giftbox size: 324mm* 293mm* 128mm
- Carton Meas: 680mm* 303mm* 342mm

Compliance



About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2020 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2020 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R.C
Copyright©2020 Yealink Inc. All right reserved.

Microsoft Phone MP54

Yealink MP54 Android 9-based phone owns a faster response speed and dedicated Teams button, is ideal for office workers, front desks and common areas. Presenting a standalone voice solution and an unparalleled audio clarity, the MP54 is armed with Yealink's Optima HD Voice and Yealink Noise Proof Technology. Moreover, MP54 makes the collaboration easier than ever thanks to its support for SIP&Teams Hybrid mode, and its USB port for a Wi-Fi, Bluetooth and a USB headset.



4-inch Multi-touch Screen



Android 9.0



Common Area Phone



HAC



SILK Codec



Gigabit



HD Audio



Hybrid Mode



Microsoft 365



Key Features and Benefits

Excellent Calling Experience

The MP54 combines professional hardware and software technology to deliver crystal-clear voice communications. Thanks to Yealink Optima HD voice and Noise Proof Technology as well as a full-duplex hands-free speakerphone with AEC and a HAC handset, the MP54 provides an excellent audio experience for more efficient and productive calls.

Ease of Use

To extend workflows seamlessly to the desktop device, the MP54 offers a 4.0-inch capacitive touch screen and fully compatible with Microsoft 365 for a consistent calling and meeting user interface. The device owns one USB 2.0 port for USB headsets and Bluetooth dongle. It allows the user to leave the desk and continue talking while paring with a Bluetooth headset or USB headset.

Simplify Deploy and Manage

The MP54 offers deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision, making it simple to deploy, administer, upgrade and maintain.

- Android 9.0
- 4 inch (800 x 480) Capacitive Touch Screen
- Optimal HD audio, Yealink Noise Proof Technology
- Dedicated Microsoft Teams Button
- Supports Upgradability of Firmware to Teams and SFB Edition
- Magnet Handset
- Bluetooth Headset via BT41
- Wi-Fi via WF50
- USB Type A port, Supports USB Headset
- Dual-port Gigabit Ethernet, Supports PoE
- Supports Microsoft/Yealink/Unify Square Device Management Platform
- Hybrid mode (Teams version only)

Audio Features

- HD voice: HD handset, HD speaker
- Hearing aid compatible (HAC) handset, magnet handset
- Yealink Noise Proof Technology
- Audio codec: SILK, Opus, G.722, G.722.1, G.722.1C, G.711 (A/μ), G.723, G.726, G.729AB, iLBC
- Full-duplex hands-free speakerphone with AEC
- VAD, CNG, AEC, PLC, AJB, AGC

Phone Features

- Call controls
 - Call hold/Call mute/Call transfer/Call forward
 - Visual voicemail
 - Synchronized call logs
- Meeting call controls
 - Mute/unmute, hold/resume
 - Hang up
 - Add/remove participant
 - Join Skype for Business meetings
- Phone lock/unlock
- Emergency calls
- Hot desking
- Accessibility
- Screensaver, Power saving
- Common Area Phone (CAP)
- Teams & SIP Hybrid mode (Teams version only)

Display and Indicator

- LCD screen:
 - 4" 480x800 capacitive touch screen
 - Two-angle [45°/ 53°] stand
 - 5 points multi-touch surface
- Dark theme
- Multi-language user interface
- Full keyboard
- LED for call and message waiting indication
- Dedicated Teams button
- Presence integration

Interface

- Dual-port Gigabit Ethernet
- Power over Ethernet (IEEE 802.3af), class 3
- 1 x USB Type A port
 - USB headsets
 - Bluetooth headset (Only with Dongle)
 - Wi-Fi (Only with Dongle)
- 1 x Security lock port
- 1 x RJ9 (4P4C) handset port
- 1 x RJ9 (4P4C) headset port

Management

- Configuration: Browser/Phone/Auto Provisioning and Device Management Platform
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot
- Package tracing export, system log
- Screenshot via URL
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform (YMDP/YMCS)
- Supports Unify Square Device Management Platform

Network and Security

- IPv4/IPv6
- IP Assignment: Static/DHCP
- Proxy mode
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- Transport Layer Security (TLS)
- HTTPS certificate manager
- Digest authentication using MD5/MD5-sess
- IEEE802.1X


Other Physical Features

- Color: Classic Grey
- External Yealink AC adapter (optional):
AC 100~240V input and DC 5V/2A output
- USB output currency: 5V $\overline{\text{---}}$ 500mA
- Power consumption (PSU): 1.7w~5.3w
- Power consumption (PoE): 2.3W~6.8W
- Dimension (W*D*H*T): 223mm*159mm*127mm*36mm
- Operating humidity: 10~95%
- Operating temperature: -10~50°C (+14~122°F)

Package Features

- Package content:
 - Yealink MP54 IP phone
 - Handset with handset cord
 - Ethernet Cable (2m CAT5E FTP Cable)
 - Stand
 - Quick Start Guide
 - Power Adapter (Optional)
- Qty/CTN: 5 PCS
- N.W/CTN: 4.8kg
- G.W/CTN: 5.3kg
- Giftbox size: 249mm* 179mm* 103mm
- Carton Meas: 529mm* 188mm* 261mm

Compliance



About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2020 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2020 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R.C
Copyright©2020 Yealink Inc. All right reserved.

Optima HD IP Conference Phone Compatible with Microsoft® Teams

The CP960 is an enterprise-grade conference phone, bringing the Teams experience and functionality from the desktop to the conference room. Based on Android OS, the CP960 not only unceasingly boosts the user experience, but also strikes an exquisite balance between simplicity and sophistication with Teams user-interface. Delivering unparalleled audio clarity, the CP960 is armed with Yealink's Optima HD Voice technology, that phone users will think they are sitting in the same room with one another.



5-inch Multi-touch Screen



HD Audio



Background Noise Suppression



Office 365



Android OS



3-Microphone Array



Key Features and Benefits

Easier to be heard and involved in the conference room

The CP960 conference phone combines the hardware and software to fully improve its audio quality. Thanks to its built-in 3-microphone array, CP960 owns a 20 feet (6m) and 360° voice pickup range, regarding as an ideal solution for any conference room that needs best audio experience, as if all participants are sitting across the table from each other!

Ease of use, low learning cost

The 5-inch multi-touch screen and the Teams-tailored interface provide a rich visual presentation and easy menu navigation. The CP960 is fully compatible with Teams key calling/meeting functionality, offering a rich and talented ecosystem for your team. The CP960 even lets users synchronize Outlook Calendar meeting schedules in real-time- join a meeting with just a tap.

Efficient Provisioning and Management

The Yealink CP960 is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralized deployment, management, updating. Moreover, CP960 supports several device management platforms, including Microsoft/Yealink/Unify Square Device Management Platform.

- 5" 720x1280 multi-touch screen
- Optimal HD audio, full duplex technology
- 20-foot (6-meter), 360-degree microphone pickup range
- Microsoft Teams-tailored user interface
- Supports Office 365, and upgradability of device applications to Teams or SFB
- Based on Android OS
- Built-in Bluetooth 4.0 (Pending)
- Built-in dual band 2.4G/5G Wi-Fi (Pending)
- Supports Microsoft/Yealink/Unify Square Device Management Platform

Audio Features

- Optimal HD audio
- Audio codec: SILK, Opus, G.722, G.722.1, G.722.1C, G.711 (A/μ), G.723, G.726, G.729AB, ILBC
- 20-foot (6-meter) microphone pickup range
- Apply to medium to large conference room
- Built-in 3-microphone array, 360-degree voice pickup
- 56mm diameter and 10w speaker
- Full-duplex speakerphone with AEC
- Echo cancellation tail length is up to 320ms
- Background noise suppression

Call Handling Features

- P2P call
- Cloud PSTN call
- Call hold/Call mute/Call transfer/Call forward
- Group SimRing
- Second forwarded if unanswered
- Block calls without caller ID

Conference Features

- One-Click Join
- Add a Participant to existing meeting
- Conference Mute/Unmute participants
- Display Meeting Info
- Calendar access to my meetings
- Show acceptance status per participant
- Schedule Teams meeting

Presence and Contacts

- Presence status synchronize with client, Presence status control
- Corporate Directory Access
- Show contact picture

Phone Features

- Single sign-in
- Visual voicemail
- Change VM playback speed
- Phone lock
- Screensaver
- Power Saving

Display and Indicator

- 5" 720x1280 capacitive touch screen
- Volume key
- Home button
- Multilingual user interface
- Modern Teams interface, Full keyboard
- Presence status control: available, busy, DND, be right back, off work, away

Interface

- 1 x RJ45 10/100M Ethernet port
- Power over Ethernet (IEEE 802.3af), class 4
- Built-in dual band Wi-Fi (Pending)
- Built-in Bluetooth 4.0 (Pending)
- 2 x Wired MIC port
- 2 x USB 2.0 port
- 1 x 3.5mm audio-out port
- 1 x USB 2.0 Micro-B device port
- 1 x Security slot

Management

- Configuration: browser/phone/Auto provisioning and Device Management Platform
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot
- Package tracing export, system log
- Screenshot via URL

- View license status
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform
- Supports Unify Square Device Management Platform

Network and Security


- SIP v1 (RFC2543), v2 (RFC3261)
- IPv4/IPv6
- IP Assignment: Static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- SRTP for voice, Transport Layer Security (TLS)
- HTTPS certificate manager
- Digest authentication using MD5/MD5-sess
- IEEE802.1X

Other Physical Features

- Color: Space Silver
- External Yealink PoE adapter (optional)
- Power consumption (PoE): 5.25w-12.3w
- Dimension (W*D*H): 338mm*338mm*74mm
- Operating humidity: 10~90%
- Storage temperature: -10~50°C (+14~122°F)

Package Features

- Package content:
 - Yealink CP960 IP conference phone
 - Ethernet Cable (7.5m CAT5E UTP cable)
 - Wireless Microphone CPW90 (Optional)
 - Wired Microphone CPE90 (Optional)
 - Quick Start Guide
 - Yealink PoE Adapter YLPOE30 (Optional)
- Qty/CTN: 4 PCS
- N.W/CTN: 5.6 kg (CP960)/10.4 kg (CP960-WirelessMic)
- G.W/CTN: 8.4 kg (CP960)/11.6 kg (CP960-WirelessMic)
- Giftbox size: 405mm*392mm*141mm
- Carton Meas: 589mm*401mm*421mm





About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2019 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2019 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R. China
Copyright©2019 Yealink Inc. All right reserved.

Yealink USB Headset

Yealink UH33 is a professional headset with the over-the-head style that eliminates background noise and helps you get in your concentration zone and focus. Coupled with wideband audio technology and HD voice, the UH33 delivers richer and clearer conversations, as well as reduces listening fatigue. Simple plug-and-play setup permits you to merely use the USB port to the USB-supported Yealink IP phones, plug it into the USB port or 3.5mm jack to your laptop, or use the 3.5mm jack straight into your smart device. Get easy access at your fingertips via the intuitive control unit to the frequently-used functions, such as accept incoming calls, adjust volume and mute the microphone. Yealink UH33 stands its unique position in the market with the combination of exceptional comfort, durable lifecycle, premium quality, and brilliant sound.



Specifications

Main Features

- > Supports SIP-T41S/T42S/T46S/T48S/T53/T53W/T54W/T57W/T58A/VP59
- For T41S/T42S/T46S/T48S: upgrade to the version 82 or higher
- > USB and 3.5mm connectivity to laptop and smart device
- > Simple call management via control unit
- > Integrated LED indicator and warning tone
- > ActiveProtection technology safeguards users from acoustic injury
- > HD Voice/Wideband speaker performance and noise cancellation
- > 330° bendable boom arm for easy adjustment without breaking

General

- > Cord length: HS cable: 1.2m; Control cable: 0.9m
- > Connection: 3.5mm jack, USB 2.0
- > Supported operating systems:
Microsoft Windows®, Apple Mac OS
- > Color: Black

Microphone

- > Microphone type: Noise-cancelling
- > Frequency response range: 100-8kHz
- > Microphone bandwidth: Wideband
- > Microphone Sensitivity: -38.0 dB re. 1V/Pa

Speaker

- > Speaker type: 90±15%Ω
- > Frequency response range: 112Hz-8.5kHz
- > Speaker bandwidth: Wideband

- > Speaker Sensitivity: 96dB SPL+/-3dB SPL
- > Speaker Impedance: 90±15%
- > Speaker input power: normal: 20mW; Max: 80mW

Control unit

- > Answer/End a call
- > Volume up/down
- > Microphone mute
- > Redial last outgoing call
- > Reject incoming call


Package Features

- > Package content:
 - UH33
 - Leather ear cushion
 - Foam ear cushion
 - Headset hanger
- > Qty/CTN: 20 PCS
- > N.W/CTN: 2.6 kg
- > G.W/CTN: 3.2 kg
- > Giftbox size: 135mm*155mm*60mm
- > Carton Meas: 330mm*320mm*295mm

Compliance



* When you use UH33 in some uncertified communication platforms, as a minimum, it works as audio only.



Learn More

To find out how Yealink solutions can help your organization, visit us at www.yealink.com or mail to sales@yealink.com



About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2019 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2019 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R. China
Copyright©2019 Yealink Inc. All right reserved.



REUBEN R. MCDANIEL, III
President & CEO

TOTAL BID



DASNY

ANDREW M. CUOMO
Governor

ALFONSO L. CARNEY, JR.
Chair

REUBEN R. MCDANIEL, III
President & CEO

Bid Submittal Requirements:

Bidder shall Provide the following information with Bid:

1. Manufacturer & Model Number
2. Manufacturer's cut sheets
3. Warranty Information
4. Listing of deviations for each item, including sizes, dimensions, profiles, materials, finishes,
5. Samples, if Requested

The burden of proof equality is on the bidder, and only complete submittals, as requested, will be considered and evaluated by DASNY. Failure to comply with any or all above shall result in immediate disqualification.

(The below questions 1) and 2) need only be answered if the above total bid is for one million dollars or more)

1. Does your firm anticipate the use of subcontractors and outside suppliers specific to this procurement?
Yes ☐ No ☐
2. Does your firm anticipate the creation of employment opportunities arising from this procurement?
Yes ☐ No ☐

(The below information must be completed for all bids.)

Identify all subcontractors, if any: _____

STATE, PROVINCE FOR FOREIGN COUNTRY
THAT YOUR FIRM'S PRINCIPAL PLACE OF
BUSINESS IS LOCATED:

ADDRESS OF FACTORY OR PLANT WHERE
ITEMS ARE MANUFACTURED AND/OR
ASSEMBLED. *(Attach additional sheet(s) if more
than one manufacturer)*

BIDDER (FIRM NAME)

SIGNATURE

NAME (TYPE/PRINTED)

TITLE

Date