#### **Attachment A**

#### **Bid Breakdown & Schedule**

FIRM SUBMITTING BID:	
_	

TYPE OF DELIVERY/Location: Delivery and Installation with Removal of Existing Bleachers/Baruch College

DELIVERY REQUIRED BY: As per product lead time.

Bid Opening Location: 515 Broadway, Albany, NY 12207

Bid Opening Date and Time: September 22, 2021 at 2:30 p.m.

**Basis for Award:** The basis for contract award is "GRAND TOTAL" lump sum price. Vendor shall be responsible for the complete scope of work at the "GRAND TOTAL" lump sum price. Further, vendor is responsible for examining the Contract Documents carefully before quoting, including making a written Request for Information for an interpretation or correction of any ambiguity, inconsistency, or error noted in the documents.

Item	Manufacturer	Make/Model	Description	UOM	Extended Price		
No.							
1	Hussey Seating (Or Equal) *	MAXAM 26 Seating System (Or Equal)	Bleachers	LS	\$		
2			Removal and Disposal	LS	\$		
3			Installation	LS	\$		
4			Cost of Bonds (if >\$100k)	LS			
	TOTAL BID: \$						

<sup>\*</sup>Attach bill of materials for Item No. 1

#### **Bid Submittal Requirements:**

Bidder shall Provide the following information with Bid:

- 1. Manufacturer & Model Number
- 2. Manufacturer's cut sheets
- 3. Construction specifications, (note Marketing materials are not specifications)
- 4. Installation specifications (if applicable)
- 5. Attachment Details (if applicable)
- 6. Warranty Information
- 7. Listing of deviations for each item, including sizes, dimensions, profiles, materials, finishes,
- 8. Construction methods and functions, on company letterhead. (if applicable)
- 9. Samples, if Requested

# BIDDING REQUIREMENTS for PURCHASING

# NOTICE AND INFORMATION FOR BIDDERS

( i ne below qu	estions 1) and 2) need only be answered if the abov	e total bid is for	one million dollars or more)				
1. Does your firm anticipate the use of subcontractors and outside suppliers specific to this procurer							
Yes	No 🗌						
2. Does your firm anticipate the creation of employment opportunities arising from this procure							
Yes	□ No □						
(The below in	formation must be completed for all bids.)						
Identify all sul	ocontractors, if any:						
,	, .						
	STATE, PROVINCE FOR FOREIGN COUNTRY						
	THAT YOUR FIRM'S PRINCIPAL PLACE OF						
	BUSINESS IS LOCATED:	E	BIDDER (FIRM NAME)				
	ADDRESS OF FACTORY OR PLANT WHERE		SIGNATURE				
	ITEMS ARE MANUFACTURED AND/OR						
	ASSEMBLED. (Attach additional sheet(s) if more						
	than one manufacturer)		NAME (TYPE/PRINTED)				
			TITLE				
		Date					

# BIDDING REQUIREMENTS for PURCHASING

# NOTICE AND INFORMATION FOR BIDDERS

**Attachment B: Detailed Specifications** 

See attached drawings as basis of design

## BIDDING REQUIREMENTS for PURCHASING

#### NOTICE AND INFORMATION FOR BIDDERS

## **Attachment C: Scope of Work and Site Logistics**

Furnish, deliver and install bleachers at Baruch College as manufactured by Hussey Seating MAXAM 26 Seating System as the basis of design, or propose an equivalent, with Courtside plastic seats, wall attached, integral power operation wireless controller, 11 5/8" row rise, 26" row spacing, with foot level aisle, aisle rails, intermediate aisle steps, non-slip treads, self-storing ready rails, front step, clear wood decking, motion monitor, Flex-Rows to accommodate ADA requirements and vinyl end curtains. Bleachers will be located in Cellar Gymnasium. This scope includes removal of existing bleachers. A site visit has been scheduled for bidders to view the existing bleachers and field verify.

#### Bleacher Replacement & Installation

Removal, disassembly and disposal of the existing bleachers and furnish, delivery and installation of new bleachers.

## PRASEval and disposal of (689) gross seat bleacher.

- Install (1) Bank @ 13-Tiers x 81'-6" (including end rails) with (545) net seats
- Removal and disposal of (581) plastic seats on existing bleacher.
- Furnish and install (581) Courtside Plastic seats on existing bleacher.

#### PHASE 2

- Removal (581) Courtside Plastic seats from existing bleacher.
- Removal and disposal of (689) gross seat bleacher.
- Install (1) Bank @ 13-Tiers x 81'-6" (including end rails) with (545) net seats

Site Logistic Information to be confirmed at site visit.