



ADDENDUM NO.: 2

IFB or RFP NO.: 742

Description: Furnish, Deliver and Install AV Equipment

Project: SUNY Fashion Institute of Technology

Bid Opening Date: Friday, March 3, 2023, at 3:00PM

Specifics of the Addendum: Extend the Bid Opening Date, provide responses to the Requests for Information, and to provide a revised Bid Breakdown & Schedule.

Extension to Bid Opening: Please see the following change to the Notice and Information for Bidders:

Section 1.0 – Notice to Bidders & Bid Opening and Attachment A: Bid Breakdown & Schedule

The bid opening scheduled for February 17, 2023, at 3:00 p.m. has been rescheduled to March 3, 2023, at 3:00 p.m.

Please see responses to the requests for information below:

1. Q: Will you take certified checks instead of payment and performance bonds?
A: A bid bond is not required. A payment and performance bond are required. The cost for the bonds can be included in the bid breakdown and schedule.
2. Q: Please confirm it is a prevailing wages job and tax exempt.
A: Wages to be determined per the terms and conditions of the PLA. The prevailing wage schedule is removed from this procurement. DASNY is tax exempt.
3. Q: Is there a way to provide a demonstration of alternative equipment being proposed?
A: Per the Information for Bidders, Section 4.0 (D) if bidding or proposing commodities other than those specified, the bidder must in every instance give all information required in Section 2.0 (B) of this Notice and Information for Bidders. Products will only be considered if proof of comparability is provided to DASNY in writing.
4. Q: What unions are acceptable for labor?
A: Please see the Project Labor Agreement for further information.

5. Q: Where would prices be entered for Engineering? Is this Union Labor?
A: Technical Engineering should be entered on Line 61 of the Bid Breakdown and Schedule. Please provide a separate proposal providing the breakdown of all integration and installation. The physical installation of the audio-visual equipment labor must be performed per the terms and conditions of the Project Labor Agreement. Integration is technical labor.
6. Q: Where would prices be entered for Drawings, including shop, and as built? Is this Union Labor?
A: Pricing for drawings, including shop and as built, should be built into the system price. Refer to the response to question 5.
7. Q: Where would prices be entered System configuration and control system program? Is this Union Labor?
A: Configuration or Programming should be entered on Line 61 of the Bid Breakdown and Schedule. Please provide a separate proposal providing the breakdown of all integration and installation. Refer to the Project Labor Agreement.
8. Q: Where would prices be entered Off-site fabrication? Is off-site fabrication to be Union Labor?
A: There is a line on the Bid Breakdown for integration and there is also a line for installation. Please refer to the Project Labor Agreement.
9. Q: Where would prices be entered Project Management including site meetings? Is this Union Labor?
A: Project Management, including site meetings, should be included in the system installation line. Bidder is required to provide a complete breakdown (description/number of hours/rate). Refer to the Project Labor Agreement.
10. Q: Where would prices be entered Training? How many hours?
A: Refer to answer to question 9 above. Refer to scope in IFB attachments.
11. Q: When is the system scheduled to be installed?
A: Installation is scheduled to begin August 2023.
12. Q: Since no cost increases are permitted due to increased AVC costs how will DASNY compensate for delays by others to the schedule?
A: Please refer to Section 10.04 of the General Conditions.
13. Q: Who will provide scaffolds, lifts etc.? If the AVC, what special requirements for lifts?
A: No scaffolding, ladders or lifts will be provided, so the AV contractor will be responsible for those.
14. Q: Which if any of the labor is required to hold OSHA30?
A: Yes, the labor will need to hold OSHA30.
15. Q: In areas with non-traditional drop tile, who's responsibility is it to cut the necessary speaker holes, i.e., Student Life Hall?
A: The GC.
16. Q: Who's responsible for all, if any, tie lines between existing building and new building?
A: This will be standalone.

17. Q: Not sure what the difference is on the bid form, please clarify:
68 Integration is programming and configuring (technical)
69 Installation is described in the bid scope
18. Q: Please confirm that the "OFCI" Crestron products will be available for the projected installation schedule, as the lead times for the majority of these products is Q4 2023.
A: Please refer to Addendum No. 1 providing specifications for an alternative product.
19. Q: There are Crestron products in the Student Life Hall that are NOT marked "OFCI", please confirm that these require pricing.
A: Please refer to Addendum No. 1 providing specifications for an alternative product.
20. Q: Can you confirm the ceiling types and heights in Student Center and Classrooms?
A: Classrooms are 9' AFF ACT field and have drywall beam enclosures. The Student Center is 20' AFF and is wood slat panels.
21. Q: Who provides vertical risers for AV?
A: Only vertical risers required are for paging – share paths with IT sleeves between the floors.
22. Q: Are j-hooks and cable trays provided?
A: Conduits and drag lines are provided.
23. Q: Is necessary blocking called out in the plans?
A: Blocking is called out for by the GC. Coordination between the AVC and GC will need to take place.
24. Q: Where is the head end to the paging system located?
A: The campus-wide head-end is believed to be located in the Feldman building, the head-end hardware for this building is to be located in the Level 1 IDF.
25. Q: Will we have loading dock access?
A: Yes, but it will need to be coordinated with DASNY ahead of time.

All other terms and conditions of the original Invitation for Bids shall remain the same.

BIDDING REQUIREMENTS for PURCHASING
NOTICE AND INFORMATION FOR BIDDERS

Attachment A: Bid Breakdown & Schedule

Bidder:

DASNY Contact:

Theresa Graffeo, Purchasing Coordinator
tgraffeo@dasny.org

Request for Information (RFI's):

RFI's due February 8, 2023. Submit in writing via email to tgraffeo@dasny.org. Responses will be posted to DASNY's website via addenda no later than February 10, 2022. It is the responsibility of the Bidder to obtain Addenda.

Services/Product Required By:

August 2023

Description:

Furnish, Deliver and Install Audio Visual Equipment

Bid Open Location:

DASNY, Corporate Headquarters, 515
Broadway, Albany, NY 12207

Bid Open Date and Time:

March 3rd, 2023 at 3PM

Item No.	Manufacturer	Make/Model	Description	QTY	UOM	Unit Price	Extended Price
1	NEC	NP-PA653U-41ZL	Video Projector 6500 Lumens 4K With lens	3	EA	\$	\$
2	Chief	RPAU	Universal RPA Ceiling Projector Mount	2	EA	\$	\$
3	Planar	Helium PCT2785	Flatpanel Display – 27" Touch Enabled Desktop	5	EA	\$	\$
4	BiAmp	TesiraFORTE DAN CI	Audio DSP – 12 Input, 8 Output, AEC, DANTE, USB	7	EA	\$	\$
5	Labgruppen	LUCIA 120/1-70	Audio Amplifier – 1ch. 120wpc 70V	3	EA	\$	\$
6	Tannoy	CMS 603DC BM	Loudspeaker – Ceiling Recessed 6"	40	EA	\$	\$
7	Shure	ANI22-BLOCK	Netork interface – 2x2 DANTE	4	EA	\$	\$
8	Shure	MX418/C	Gooseneck Microphone 18"	5	EA	\$	\$
9	Shure	QLXD 14/93	Wireless Mic – Lavalier Omni/Bodypack/RX	6	EA	\$	\$
10	Cisco	CS-KITPLPTZ4K-K9	Video Codec – Room kit Plus PTZ 4k.	2	EA	\$	\$
11	Wolfvisions	VZ8-UHD	Document Camera, 4K	5	EA	\$	\$

BIDDING REQUIREMENTS for PURCHASING

NOTICE AND INFORMATION FOR BIDDERS

12	Magewell	32040	USB CAPTURE HSMI Plus	4	EA	\$	\$
13	Lightware	MMX4x2-HDMI USB20L	Video Matrix Switcher – 4x2 4K	1	EA	\$	\$
14	Sound Control Technologies	RC5-CW4	Camera Extender – Camera extension Kit	3	EA	\$	\$
15	Lightware	HDMI-TPS-TX86	HDBT Transmitter – HDMI	13	EA	\$	\$
16	Lightware	HDMI-TPS-TX210	HDBT Transmitter – HDMI	3	EA	\$	\$
17	Lightware	HDMI-TPS-RX86	HDBT Receiver – HDMI	9	EA	\$	\$
18	Netgear	GSM4328PB-100NES	Data Switch – 24 port, 1g PoE+, 1000w PSU	4	EA	\$	\$
19	Middle Atlantic	BGR-4527-AV	Equipment Rack – 45RU, Pre-Configured for Pro Av	5	EA	\$	\$
20	Netgear	M4300-52G-PoE+	Data Switch – 48 port, 1g, PoE+, 1000w PSU	3	EA	\$	\$
21	Icron	Starling 3251	USB Extender	4	EA	\$	\$
22	NEC	NP-PX2000UL-47ZL	Video Projector 20000 Lumens With lens	4	EA	\$	\$
23	Chief	VCMU	Projector Mount	4	EA	\$	\$
24	NEC	C751Q	Flat Panel Display – 75”	2	EA	\$	\$
25	Planar	998-2869-00	LED Video wall – 217” 2.5mm 8X8 MGP Install & maintenance	1	EA	\$	\$
26	Tannoy	OCV 6	Loudspeaker – Pendant coaxial 6”	15	EA	\$	\$
27	Shure	ULXD4Q	Wireless Mic – Receiver 4ch.	1	EA	\$	\$
28	Shure	ULDxD2/B58	Wireless Mic – Handheld Tx Beta58	4	EA	\$	\$
29	Listen Tech	LT-800-216-01-D	ADA – Stationary RF transmitter (Dante)	2	EA	\$	\$
30	Listen Tech	LR-4200-216	ADA – RF Receiver	10	EA	\$	\$
31	Vaddio	Roboshot 40 UHD 4K	Video Camera – PTZ HD 40x zoom 4K	2	EA	\$	\$
32	Cisco	CS-CODEC-PLUS	Video Codec – Room kit Plus	1	EA	\$	\$
33	NEC	C981Q	Flat Panel Display – 98”	2	EA	\$	\$
34	NEC	M651	Flat Panel Display – 65”	1	EA	\$	\$
35	Chief	LTM1U	Flat Panel Display – Wall Mount Tilt Large	12	EA	\$	\$
36	Shure	MXA910	Microphone – Ceiling-Mount, 2’x2’ Grid w/ DANTE	5	EA	\$	\$
37	Cisco	CS-KITPLPTZ4K-K9	Video Codec – Room kit Plus PTZ 4k.	1	EA	\$	\$
38	Lightware	MMX4x2-HDMI-USB20L	Video Matrix Switcher – 4x2 4K	3	EA	\$	\$

BIDDING REQUIREMENTS for PURCHASING

NOTICE AND INFORMATION FOR BIDDERS

39	NEC	C861Q	Flat Panel Display – 86"	2	EA	\$	\$
40	Cisco	CS-KITPLUS-NR-K9	Video Codec – Room kit Plus Quad Cam Kit	1	EA	\$	\$
41	Sound Ctrl Tech	RC8-CQC	Video Codec – Camera Extender Rackmount	1	EA	\$	\$
42	Atlona	AT-OME-EX-KIT	HDBT Extender – HDMI & USB	2	EA	\$	\$
43	Extron	Cable Cubby 222 US 60-1927-02	Cable Cubby – Cable access Enclosure for AV connectivity	3	EA	\$	\$
44	Middle Atlantic	CFR-14-20	Equipment Rack – Credenza	2	EA	\$	\$
45	Cisco	CS-BAR-T-K9	Video Codec – Room KIT Bar with Touch 10	1	EA	\$	\$
46	Sound Ctrl Tech	RTK-MINI-2	Video Codec – Table extender. HDMI & USB extension	1	EA	\$	\$
47	NEC	M551	Flat Panel Display – 55"	6	EA	\$	\$
48	Attero Tech	und610	AV Wallplate – 2x2 XLR, RCA, 3.5mm, 2 Gang	1	EA	\$	\$
49	Brightsign	XT1144	Digital Signage Player – 4K PoE, with 64GB SD Card	6	EA	\$	\$
50	Bogen	PCM2000	Intercom Chassis	1	EA	\$	\$
51	Bogen	PCM TIM		1	EA	\$	\$
52	Bogen	PCM CPU		1	EA	\$	\$
53	Bogen	PCM ZPM		1	EA	\$	\$
54	Bogen	PCMPS2	Power supply	1	EA	\$	\$
55		110 Block	110 Block	9	EA	\$	\$
56	Bogen	TPU250	Paging Amplifier	1	EA	\$	\$
57	Bogen	S86T725PG8WB R	8" PA Speaker, 70V Transformer, 4W Max	110	EA	\$	\$
58	Chatsworth	11960-706	Equipment Rack	1	EA	\$	\$
59	Bogen	RPK88	Rack Kit	1	EA	\$	\$
60	BiAmp	AMP-A460H	Power Amplifier - 2Ch, 150Wper Ch,	7	EA	\$	\$
61	Aurora	VPX-TC1-Pro	Video Tx/Rx - 4K, 4:4:4, 1 Gig	7	EA	\$	\$
62	Aurora	TS-100-4F	Wireless Sharing Appliance with USB	2	EA	\$	\$
63	Aurora	LXC-1	Control port expander	4	EA	\$	\$
64	Aurora	RXT-8D-B	Control Touch Panel - Wired 8"	2	EA	\$	\$
65	Aurora	RK2-5-K	5 RU 12 Rack Mounting Kit	1	EA	\$	\$
66	Aurora	RXT-8-B	Control Touch Panel - Wired 8"	1	EA	\$	\$
67	By AV Contractor	Custom	Misc. Wire, Cables, Plates/Panels & Connectors		LS	\$	\$
68			Integration		LS	\$	\$

BIDDING REQUIREMENTS for PURCHASING

NOTICE AND INFORMATION FOR BIDDERS

69			Installation (Union Labor)		LS	\$	\$
70			Bonds		LS	\$	\$
71			Drawings		LS	\$	\$

Host PC, Keyboard and Mouse to be provided by Owner

If bidding or proposing commodities other than those specified, the bidder must in every instance give all information required in Section 2.0 (B) of the Notice and Information for Bidders. Products will only be considered if proof of comparability is provided to DASNY in writing. A determination that a commodity or product is an "or equal" will be determined by DASNY in its sole and absolute discretion and any such determination will be final.

**INSTALLATION LABOR (if required)
LABOR TO INSTALL _____**

Estimated No. of Hours _____

Hourly Rate (*Prevailing Wage rates are required for this work*) _____

Total Materials/Equipment/Commodities: _____

Total Installation: _____

TOTAL BID _____

BIDDING REQUIREMENTS for PURCHASING

NOTICE AND INFORMATION FOR BIDDERS

The DORMITORY AUTHORITY OF THE STATE OF NEW YORK
("DASNY")

Project Number 2943109999

Bid Title Furnish, Deliver & Install AV Equipment

Notice and Information to Bidders

Attachment A: Bid Breakdown and Schedule

Attachment B: Detailed Specifications

Attachment C: Scope of Work and Site Logistics

This Notice and Information to Bidders, Attachment A: Bid Breakdown and Schedule, Attachment B: Detailed Specifications and Attachment C: Scope of Work and Site Logistics shall collectively be referred to herein as the "**Purchase Order Documents.**"

Section 1.0 – Notice to Bidders & Bid Opening

Sealed bids for the above referenced Bid/Project will be received by DASNY at its office located at 515 Broadway, Albany, NY 12207. Bids are due by 3:00 p.m. on 3/3/2023 (the "Bid Opening Date"). Only those bids in the hands of DASNY on or prior to the Bid Opening Date will be considered.

Each bid must be identified, on the outside of the envelope, with the name and address of the bidder and designated a bid for the Project titled above. When a sealed bid is placed inside another delivery jacket, the bid delivery jacket must be clearly marked on the outside "**BID ENCLOSED**" and "**ATTENTION: PURCHASING.**" DASNY will not be responsible for receipt of bids which do not comply with these instructions.

Individuals and entities submitting bids in person or by private delivery services should allow sufficient time for processing through building security to assure that bids are received prior to the deadline for submitting bids. A late bid will be returned to the sender unopened and will not be considered in issuing a purchase order.

Bids shall be publicly opened and read aloud. Bid results can be viewed at DASNY's website; <http://www.dasny.org>.

All bid openings will be made available for viewing live via Zoom at www.zoom.us. To enter the meeting, select "Join a Meeting" then enter Meeting Id 612 014 1502, Password 411299. Individuals are strongly encouraged to utilize this public viewing option as an alternative to in person attendance at bid openings.

In accordance with State Finance Law § 139-j and § 139-k, this solicitation includes and imposes certain restrictions on communications between DASNY personnel and a prospective bidder during the procurement process. Designated staff for this solicitation is: Theresa Graffeo
Email: tgraffeo@dasny.org and DASNY at purchasing@dasny.org. Contacts made to other DASNY personnel regarding this procurement may disqualify the prospective bidder and affect future procurements with governmental entities in the State of New York. For more information pursuant to this law, refer to DASNY's website; <http://www.dasny.org> or the OGS website: <http://www.ogs.state.ny.us>.