#### NOTICE AND INFORMATION FOR BIDDERS

#### Attachment A: Bid Breakdown & Schedule

Bidder:	
DASNY Contact: Nicole White - nwhite@dasny.org	

Services/Product Required By: On an as needed basis.

Term: It is the intent of DASNY to issue Purchase Orders per this procurement for a two-year period commencing upon notification of award. DASNY will have the option to extend the term up to a year. Bidder must honor pricing for the term of the procurement.

Description: Appliance Term Procurement - Furnish and deliver appliances to various locations throughout New York State.

Bid Open Location: DASNY, Corporate Headquarters, 515 Broadway, Albany, NY 12207 Bid Open Date and Time: December 21, 2023 at 2:30 PM.

Item No.	Mfr.	Make/Model	Description	QTY	UOM	Unit Price	Extended Price
1	GE	JB258DMWW	30" Free-Standing Self- Clean Electric Range	1	EA	\$	\$
2	GE	JBS460DMWW	30" Free-Standing Electric Range	1	EA	\$	\$
3	Frigidaire	FFTR1814WB, FFTR1814WW	18.3 Cu. Ft. Top Freezer Refrigerator	1	EA	\$	\$
4	General	GEW1000E	Digital Touch-Pad Microwave	1	EA	\$	\$
5	RCA	RMW733W	18" 0.7 Cu. Ft. Countertop Microwave with 10 Power Levels - White		EA	\$	\$
6	GE	GBE17HYRFS	17.7 Cu. Ft. Counter- Depth Bottom-Freezer Refrigerator	1	EA	\$	\$
7	GE	JB625RKSS	30" Free-Standing Electric Range	1	EA	\$	\$
8	GE	JVX3300SJSS	30" Under The Cabinet Hood	1	EA	\$	\$

<sup>\*</sup>Note: If a model is discontinued by the manufacturer prior to delivery of the product, DASNY reserves the right to accept a replacement model from the manufacturer subject to meeting all general requirements and detailed product specifications.

TOTAL BID

## NOTICE AND INFORMATION FOR BIDDERS

#### **ADDITIONAL OPTIONS:**

All bidders are red	uested to com	plete the below	additional o	ptions A – E:
---------------------	---------------	-----------------	--------------	---------------

	• •	•	
A.	Price addition per unit for dock delivery	:	
	Western Region	\$	Each
	Central Region	\$	_ Each
	Hudson Valley/Adirondack Region	\$	- Each
	NYS/Long Island Region	\$	_ _Each
В.	Price addition per unit for delivery to sp	ecified location, includes unloa	ading from truck:
	Western Region	\$	Each
	Central Region	\$	_ Each
	Hudson Valley/Adirondack Region	\$	_ Each
	NYS/Long Island Region	\$	_ Each
	Western Region Central Region Hudson Valley/Adirondack Region	\$\$ \$\$	_ Each _ Each _ Each
	NYS/Long Island Region	\$	_ _Each
D.	Price removal and recycling of old appli	ances:	
	Western Region	\$	Each
	Central Region	\$	_ Each
	Hudson Valley/Adirondack Region	\$	_ Each
	NYS/Long Island Region	\$	_ _Each
E.	Hourly charge for deliveries that exceed	d two hour unloading time:	
	\$	Per Hou	ır

#### NOTICE AND INFORMATION FOR BIDDERS

(The below questions 1) and 2) need only be answered if the above total bid is for one million dollars or more) 1. Does your firm anticipate the use of subcontractors and outside suppliers specific to this procurement? Yes No  $\square$ 2. Does your firm anticipate the creation of employment opportunities arising from this procurement? Yes 🗌 No  $\square$ (The below information must be completed for all bids.) Identify all subcontractors, if any: \_\_\_\_\_ STATE, PROVINCE FOR FOREIGN COUNTRY THAT YOUR FIRM'S PRINCIPAL PLACE OF BUSINESS IS LOCATED: \_\_\_\_\_ ADDRESS OF FACTORY OR PLANT WHERE ITEMS ARE MANUFACTURED AND/OR ASSEMBLED (Attach additional sheet(s) if more than one manufacturer): BIDDER (FIRM NAME) SIGNATURE NAME (TYPE/PRINTED) TITLE DATE

## BIDDING REQUIREMENTS for PURCHASING NOTICE AND INFORMATION FOR BIDDERS

Attachment B – Detailed Specifications

## GE® 30" Free-Standing Self-Clean Electric Range



#### Model# JB258DMWW



- 5.3 cu. ft. oven capacity Enough room to cook an entire meal at once
- Self-clean oven Cleans the oven cavity without the need for scrubbing
- Sensi-Temp Technology Enjoy the same cooking power as a traditional coil with an added safety feature that meets the new UL858 Household Electric Ranges Standard for Safety
- Dual-element Bake Upper and lower elements produce even heat and great results
- Removable full-width storage drawer Large trays and other cookware can be conveniently stored for quick access

#### APPROXIMATE DIMENSIONS (HxDxW)

• 47 in x 28 in x 30 in

#### **CAPACITY**

• Total Capacity (cubic feet) 5.30 cu ft

#### WARRANTY

- Parts Warranty Limited 1-year entire appliance
- Labor Warranty Limited 1-year entire appliance
- Warranty Notes See written warranty for full details

#### **FEATURES**

I LITTORILO	
Configuration	Range with Storage Drawer
Cooktop Burner Type	Coil
Cooktop Surface	One-Piece Upswept; Porcelain- Enamel
Control Location	Backsplash
Element - Left Front	6" 1250W Temp Limiting Coil
Element - Left Rear	8" 2400W Temp Limiting Coil
Element - Right Front	8" 2400W Temp Limiting Coil
Element - Right Rear	6" 1250W Temp Limiting Coil
Control Type	Digital Temperature Display; Electronic; Touchpads
Removable One-Piece Drip Bowls	Chrome
Heating Element "ON" Indicator Light	Yes
Lift-Up Cooktop With Support Rods	Yes
	- 16 -1
Oven Cleaning Type	Self-Clean
Oven Cleaning Type Oven Control Features	Self-Clean Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Self-Cleaning Cycling Light
0 0,	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time
Oven Control Features	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Self-Cleaning Cycling Light 6-Pass Bake Element; 6-Pass Broil Element
Oven Control Features  Oven Features  Oven Rack Features Storage Drawer Features	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Self-Cleaning Cycling Light 6-Pass Bake Element; 6-Pass Broil Element 2 Oven Racks; 6 Rack Positions Removable Full-Width
Oven Control Features  Oven Features  Oven Rack Features Storage Drawer Features Cooking Technology	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Self-Cleaning Cycling Light 6-Pass Bake Element; 6-Pass Broil Element 2 Oven Racks; 6 Rack Positions Removable Full-Width Traditional
Oven Control Features  Oven Features  Oven Rack Features Storage Drawer Features	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Self-Cleaning Cycling Light 6-Pass Bake Element; 6-Pass Broil Element 2 Oven Racks; 6 Rack Positions Removable Full-Width

## GE® 30" Free-Standing Electric Range



#### Model# JBS460DMWW



- Front controls Easily-assessable controls make it simple to control the stovetop and oven
- 5.0 cu. ft. oven capacity Cook more dishes at once
- Sensi-Temp Technology Enjoy the same cooking power as a traditional coil with an added safety feature that meets the new UL858 Household Electric Ranges Standard for Safety
- Dual-element Bake Upper and lower elements produce even heat and great results
- Standard clean oven Smooth surface and rounded corners make clean-up quick and easy
- Removable full-width storage drawer Large trays and other cookware can be conveniently stored for quick access

#### APPROXIMATE DIMENSIONS (HxDxW)

• 47 in x 28 3/4 in x 30 in

#### **CAPACITY**

• Total Capacity (cubic feet) 5 cu ft

#### WARRANTY

- Parts Warranty Limited 1-year entire appliance
- Labor Warranty Limited 1-year entire appliance
- Warranty Notes

#### **FEATURES**

Configuration	Range with Storage Drawer
Cooktop Burner Type	Coil
Cooktop Surface	One-Piece Upswept; Porcelain- Enamel
Control Location	Front
Element - Left Front	6" 1250W Temp Limiting Coil
Element - Left Rear	8" 2400W Temp Limiting Coil
Element - Right Front	8" 2400W Temp Limiting Coil
Element - Right Rear	6" 1250W Temp Limiting Coil
Removable One-Piece Drip Bowls	Chrome
Heating Element "ON" Indicator Light	Yes
Lift-Up Cooktop With Support Rods	Yes
Oven Cleaning Type	Standard Clean
Oven Control Features	Oven "ON" Light
Oven Features	4-Pass Bake Element; 4-Pass Broil Element
Oven Rack Features	2 Oven Racks; 6 Rack Positions
Storage Drawer Features	Removable Full-Width
Cooking Technology	Traditional
Oven Interior	1 Incandescent

## FRIGIDAIRE.



18.3 Cu. Ft. Top Freezer Refrigerator

Top Freezer Refrigerator

Available Products: FFTR1814WB, FFTR1814WW

Available Colors: Black, White

Version: 08/22

## **Product Specifications**

Refrigerator		Freezer	
Crisper Color	Clear	Automatic Defrost	Yes
Door Bin Color	White	Baskets / Bins Color	White
Humidity Controls	Automatic	Shelf Material	Glass
Interior Lighting	LED	Number of Baskets / Bins	2
Shelf Material	Wire	Number of Adjustable Shelves	1
Number of Fixed 2 Liter Door Bins	2		
Number of Fixed Gallon Door Bins	1	Controls	
Number of Adjustable Shelves	2		Top Center of Fresh
Number of Crispers	2	Control Location	Food
Air Filter Ready	Yes		
		Dimensions and Volume	
Ice Maker		Height With Hinge	66 3/8"
Ice Maker	No	Height Without Hinge	65 7/8"
Ice Maker Ready	Yes	Width	30"
		Width of Cabinet	30"
Exterior		Depth of Cabinet	26 5/8"
Door Swing	Reversible	Depth With Door	30 3/8"
Door Finish	Textured	Depth With Door 90° Open	57"
		Depth With Door and Handle	30 3/8"
Electrical Specifications		Fresh Food Capacity	13.4 Cu. Ft.
Amps @ 120 Volts	3 Amps	Freezer Capacity	4.9 Cu. Ft.
Minimum Circuit Required	15 Amps	Total Capacity	18.3 Cu. Ft.
Contifications and Annuarals		General Specifications	
Certifications and Approvals	W	Annual Energy	410 kWh
ADA Compliant	Yes	Prop 65 Label	Yes
		Refrigerant Type	R-600A
Safety Certifications and Approvals		Warranty - Labor	1 Year
CSA Listed	Yes	Warranty - Parts	1 Year
UL Listed	Yes	vvarianty - 1 arts	1 1001

ENERGY STAR Certified

No



# COMMERCIAL MICROWAVES

## Digital Touch-Pad Control Microwave



## **GEW1000E**Digital Microwave

Commercial microwave oven. Including heavy duty metal handle and durable interlock system. Stainless steel body and cavity, cavity size 1.0 cubic foot. Digital touch-pad controls, LED display, with UL, and ETL approvals. Voltage 120/60/1, 220/50/1, 220/60/1

FEATURE LIST			
Model:	GEW1000E		
Cavity Size:	1 cu. ft.		
Electrical:	120/60/1, 220/50/1, 220/60/1		
Power Output:	1000 Watts		
Power Consumption:	1500 Watts		
Power Levels:	10		
Interior/Exterior:	Stainless Steel		
Control Method:	Digital Touch-Pad		
Display:	LED Lighted Display		
Approvals:	UL/ETL		
Net/Shipping Weights:	40 lbs. / 42 lbs.		
Dimensions:	20" (W) x 12" (H) x 14" (D)		

## RCA 18 in. 0.7 cu.ft Countertop Microwave with 10 Power Levels - White

MODEL: RMW733W



#### - Dimensions

Product Height	10.31 Inches
Product Width	17.81 Inches
Product Depth	12.68 Inches
Product Weight (lbs.)	23 Lb(s)

<ul> <li>Microwave Details</li> </ul>		
	Color	White
	Microwave Type	Countertop
	Interior Capacity	0.7 Cubic Feet
	Door Swing	Left Swing
	Door Style	Push Button
	Door Type	Glass & Metal
	Handle Color	-
	Case Color	White
	Turntable	Yes
	Turntable Diameter (in.)	12 Inches
	Removable Turntable	Yes
	Interior Material	-
	Non-Stick Interior	
	Interior Light(s) Type	-
	Cooktop Lighting	•
	Night Light	-
	Sound	Yes
	Cavity Height (in.)	8.68 Inches
	Cavity Width (in.)	12.37 Inches
	Cavity Depth (in.)	11.56 Inches

	Additional Features	
	Installation Requirement	120 V/ 15 A/ 60 Hz
	Series	Not Applicable
	Compatible Filler Kit Model(s)	-
	Microwave Width (in.)	18
Ventilation Details		
	Manakinakian Tura	Mak Applicable
	Ventilation Type	Not Applicable
	Exhaust Capacity (CFM)	
	Number Of Fan Speeds	
	Fan Speed Indicator	Not Applicable
	Removable Filter(s)	Yes
	Vent Fan Location	Side
	Duct Outlet Size (in.)	-
Settings and Controls		
	Control Type	Touch Sensor
	Control Location	Right Side
	Numeric Touch Pad	Yes
	Display Type	LED
	Clock Display	Yes
	Power Levels	10 Power Levels
	Number of Sensor Control Pads	6
	Minute Timer	Yes
	Cooking Modes	Popcorn, Potato, Pizza
	Add 30 Seconds Feature	No
	Sensor Cooking	No
	Instant On Controls	-
	Quick Start Cooking	No
	Auto Defrost	Yes
	Convection Cooking	No
	Auto Reheat	Yes
	Grilling Option	-
	Cook by Weight	Yes
	Sensor Cooking Controls	-
	Keep Warm	No
	Browning	No
	Soften / Melt	No
	Popcorn Key	Yes
	Potato Key	Yes
	Kids' Menu Option	-
	Delay Start Function	Yes
	Multiple Sequence Cooking	No
	Built-in Recipe Program	Yes
	Child Lock	Yes
	Multi-Lingual	No

WiFi Connected

	Smart Features	-
	Works with	
– Technical Details		
- Technical Details		
	Voltage (V)	120
	Amperage (A)	15
	Wattage	700 Watts
	Approved For Commercial Use	No
	Approved For Outdoor Use	No
– Certifications		
	ADA Commission	No.
	ADA Compliant	No No
	ANSI Certified	No No
	CEE Qualified	No 
	CSA Listed	No
	ETL Listed	No
	NSF Listed	No
	UL Listed	No
– Energy Info		
	Energy Star Rated	No
	Energy Star Tier Level	
<ul> <li>Accessory Details</li> </ul>		
	Charcoal Filter	-
	Hanging Kit Included	No
	Compatible Filler Kit Model(s)	
	Microwave Filter Model Number	-
	Accessories Included	-
Monufactures Ware		
<ul> <li>Manufacturer Warranty</li> </ul>		
	Warranty Terms - Parts	12 Month(s)
	Warranty Terms - Labor	12 Month(s)

## GE® ENERGY STAR® 17.7 Cu. Ft. Counter-Depth Bottom-Freezer Refrigerator

Model #: GBE17HYRFS



## SPECS & DETAILS V

Dimensions: 68 H x 31 1/8 W x 27 D

#### **APPEARANCE**

Adjustable Rollers	Yes
Color Appearance	Fingerprint Resistant Stainless
Door Stops	Yes
Easy to Remove Door Gaskets	Yes
Handle	Recessed
Handle Color	Fingerprint Resistant Stainless
Hidden Door Hinge(s)	Yes

|--|

#### CAPACITY

Freezer Capacity	4.74 cu ft
Fresh Food Capacity	12.99 cu ft
Shelf Area	2.60 sq ft
Total Capacity (cubic feet)	17.70 cu ft

#### **ECONOMICAL / QUIET**

Cabinet Liner	HIPS
NeverClean™ Condensor	Yes

#### **FEATURES**

Configuration	Full Door
Control Type	Electronic
Defrost Type	Frost Free
Door Liner	HIPS
Exterior Style	Free-Standing
Freezer Cabinet Drawers	3 Total
Freezer Features	Spillproof Freezer Floor Quick Freeze

Freezer Storage Baskets	3 Clear Drawers with Silver Trim
Fresh Food Cabinet Drawers	2 Total 2 Humidity Controlled Drawers
Fresh Food Cabinet Shelves	3 Full-Width 3 Adjustable
Fresh Food Door Bins	7 Clear Look Gallon Storage
Fresh Food Features	Interior Lighting - LED Quick Cool Functions
OU Certified	No
Product Type	Bottom Freezer Refrigerator
Refrigerant Type	R600a
Sabbath Mode	Yes
Temperature Management Features	Air Tower

## POWER / RATINGS

Volts/Hertz/Amps	120V/60Hz/15Amps/12V DC
------------------	-------------------------

#### WARRANTY

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

#### **WEIGHTS & DIMENSIONS**

Approximate Shipping Weight	233 lb
Back Air Clearances	1 1/4 in
Case Depth Without Door	24 in
Depth with Door Open 90°	56 in
Depth Without Handle	27 in
Height to Top of Case	67 7/8 in
Net Weight	210 lb
Overall Depth	27 in
Overall Height	68 in
Overall Width	31 1/8 in
Side Air Clearances	3/4 in
Top Air Clearances	2 in
Width w/Door Open 90 Degrees Incl. Handle	32 1/4 in
Width w/Door Open 90 Degrees Less Handle	32 1/4 in

#### GE® 30" Free-Standing Electric Range

Model #: JB625RKSS



## SPECS & DETAILS V

Dimensions: 47 H x 29 7/8 W x 28 D

#### ACCESSORIES

Cooktop Cleaning	Cream Sponge Included
Optional Accessories	WB48X20881 Roller Rack

#### APPEARANCE

Color Appearance	Stainless Steel/Black
Control Knobs	Gloss Black
Handle	Designer Style

Handle Color	Stainless Steel
Oven Door Features	Big View Oven Window Glass Door Stainless Overlay
Textured Steel Side Panels	Yes

#### CAPACITY

Total Capacity (cubic feet)	5.30 cu ft
-----------------------------	------------

#### **FEATURES**

Configuration	Range with Storage Drawer
Control Location	Backsplash
Control Type	Digital Temperature Display Electronic Touchpads
Cooking System	Traditional
Cooking Technology	Traditional
Cooktop Burner Type	Radiant Smoothtop
Cooktop Surface	One-Piece Upswept Black Ceramic Glass
Cooktop Type	Radiant Smoothtop
Drawer Type	Storage
Element - Left Front	6" 1200W
Element - Left Rear	8" 2000W

Element - Right Front	8" 2500W Power Boil
Element - Right Rear	6" 1200W
Fuel Type	Electric
Heating Element "ON" Indicator Light	1
Hot Surface Indicator Lights	1
Interior Oven Light	1 Light
Melt Setting	Yes
OU Certified	No
Oven Cleaning Type	Self-Clean
Oven Control Features	Audible Preheat Signal Self-Clean Cool Down Time Display Self-Cleaning Cycling Light Auto Oven Shut-Off with Override Auto Self Clean Control Lock Capability Delay Bake Option (Time Bake) Delay Clean Option Electronic Clock & Kitchen Timer Hi / Low Broil Oven "ON" Light
Oven Features	4-Pass Bake Element 4-Pass Broil Element
Oven Rack Features	2 Oven Racks 6 Rack Positions
Product Type	Free-Standing Single Oven
Sabbath Mode	Yes
Storage Drawer	Removable Full-Width

#### POWER / RATINGS

Amp Rating at 208V	40
Amp Rating at 240V	40
Bake Wattage	2585W
Broiler Wattage	3410W
KW Rating at 208V	7.8
KW Rating at 240V	10.4

#### **WARRANTY**

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

#### **WEIGHTS & DIMENSIONS**

Approximate Shipping Weight	180 lb
Cabinet Width	30 in
Depth with Door Open	47 7/8 in
Depth Without Handle	25 1/2 in
Height to Cooking Surface (in.)	35 3/4 - 36 1/2

Net Weight	159 lb
Oven Interior Dimensions (W x H x D) (in.)	24-1/8 x 19-1/2 x 19-3/8
Overall Depth	28 in
Overall Height	47 in
Overall Width	29 7/8 in

#### GE® 30" Under The Cabinet Hood

Model #: JVX3300SJSS



## SPECS & DETAILS V

Dimensions: 5 1/2 H x 29 7/8 W x 20 D

#### **ACCESSORIES**

Optional Accessories
----------------------

#### **APPEARANCE**

Blower / Light Switch Color	Gray
--------------------------------	------

|--|--|

## **ECONOMICAL / QUIET**

Venting Type	Convertible
--------------	-------------

#### **FEATURES**

CFM/ Sones Rating	200/6.5 (High Speed) 130/5.0 (Low Speed)
Charcoal Filter	JXCF53 - Included
Control Location	Front
Control Type	Rocker Switch
Cooktop Lighting	Incandescent
Ducting	Vertical or Horizontal; 7" Round
Exhaust Options	Recirculating Vented to Outside
Fan Speed Control	2-Speed
Filter Cleaning	Dishwasher Safe
Light Controls	On/Off
Product Type	Under Cabinet Hood
Removable Grease Filter(s)	Yes

## **POWER / RATINGS**

Amp Rating at 120V
--------------------

#### **WARRANTY**

Labor Warranty	Limited 1-year entire appliance
Parts Warranty	Limited 1-year entire appliance
Warranty Notes	See written warranty for full details

#### **WEIGHTS & DIMENSIONS**

Approximate Shipping Weight	23 lb
Cabinet Width	30 in
Net Weight	17 lb
Overall Depth	20 in
Overall Height	5 1/2 in
Overall Width	29 7/8 in

#### NOTICE AND INFORMATION FOR BIDDERS

Attachment C: Scope of Work and Site Logistics

Awarded Bidder will furnish and deliver the specified appliances to various locations throughout New York State. Bidder will be required to schedule and coordinate with the point of contact provided on the Purchase Order prior to making deliveries. Delivery addresses will vary depending on client needs. Deliveries shall occur during normal business hours unless otherwise directed by the point of contact provided. All deliveries will be made to the dock. If a loading dock plan is needed, Bidder shall request from point of contact provided on the Purchase Order.