NOTICE AND INFORMATION FOR BIDDERS

Attachment A: Bid Breakdown & Schedule

Bidder:

DASNY Contact: Nicole White – <u>nwhite@dasny.org</u>

Services/Product Required By: May 1, 2024

Description: Furnish, Deliver and Install Audio and Video Equipment

Bid Open Location: DASNY, Corporate Headquarters, 515 Broadway, Albany, NY 12207 Bid Open Date and Time: February 1, 2024 at 2:30 p.m.

ltem No.	Manufacturer	Make/Model	Description	QTY	UOM	Unit Price	Extended Price
1	V11H919520	Epson	BrightLink Pro 1485Fi Interactive - 3LCD projector - Wi-Fi/LAN	6	EA	\$	\$
2	PT-VMZ61U7	Panasonic	LCD Projector - LAN	6	EA	\$	\$
3	SYSAUW	Chief	Universal Suspended Ceiling Projector System - White	6	EA	\$	\$
4	88147F	Da-Lite	Advantage Series Projection Screen - Ceiling-Recessed Screen with Plenum- Rated Case and Trim - 92" Screen	6	EA	\$	\$
5	25940T	Da-Lite	IDEA Series Screen - Dry Erase Projection Screen for use with Interactive Projectors - 100" Screen	6	EA	\$	\$
6	MXA710W-2FT	Shure	Microflex Advance MXA710 - Microphone	6	EA	\$	\$
7	MXA920W-S	Shure	MXA920 24" Ceiling Array Microphone - White	12	EA	\$	\$
8	SW-100-08P	Luxul	8PT POE+ GBIT Compact Switch	6	EA	\$	\$
9	PATR313V2	AVer	TR313V2 - Network Surveillance Camera - TAA Compliant	6	EA	\$	\$
10	PTMLTCM01	AVer	Camera Mount	6	EA	\$	\$
11	PTDIN8PT1	AVer	Serial Cable - 8 Pin DIN to DB-9	6	EA	\$	\$
12	1213F D15A1000	Belden	GigaFlex 1200 - Bulk Cable - 1000 ft - Blue	6,000	EA	\$	\$
13	18-2C-P-WHT	LIBERTY	18AWG 2 Conductor Plenum Cable	3,000	EA	\$	\$
14	22-2C-PSH-WHT	LIBERTY	18AWG Audio/Control White	1,200	EA	\$	\$
15	56783	C2G	6ft 4K HDMI Cable with Ethernet - High Speed HDMI Cable - 4K 60Hz	18	EA	\$	\$

NOTICE AND INFORMATION FOR BIDDERS

16	56784	C2G	10ft 4K HDMI Cable	6	EA	\$	\$
	00104	020	with Ethernet - High Speed HDMI Cable - 4K 60Hz	U		•	•
17	50612	C2G	15ft 4K High Speed HDMI Cable with Ethernet - HDMI to HDMI 2.0 - M/M	6	EA	\$	\$
18	03983	C2G	6ft Cat6 Snagless Unshielded (UTP) Ethernet Cable - Cat6 Network Patch Cable - Black	30	EA	\$	\$
19	28832	C2G	6ft USB C to USB SuperSpeed Cable - USB C to USB A - 5Gbps - M/M - Black	6	EA	\$	\$
20	28102	C2G	6.6ft USB A to USB B Cable - USB A to B Cable - USB 2.0 - Black - M/M	6	EA	\$	\$
21	TBD by Bidder	Custom	Mics. Wire, Cables, Plates/Panels & Connectors		LS	\$	\$
22	60-1271-13	EXTRON	HDMI Over CAT5 Extender RX	12	EA	\$	\$
23	60-1271-12	EXTRON	HDMI Over CAT5 Extender TX	12	EA	\$	\$
24	60-1493-21	EXTRON	DXP 44 HD 4K PLUS 4X4 HDMI	12	EA	\$	\$
25	60-1432-01	EXTRON	IPCP PRO 360	6	EA	\$	\$
26	60-952-02	EXTRON	USB 2-INPUT	6	EA	\$	\$
27	60-1563-02	EXTRON	7IN Wall Mount TouchLink PRO	6	EA	\$	\$
28	SPA2-60	QSC	2 Channel 60W Amplifier	6	EA	\$	\$
29	AD-C6T-LP	QSC	AcousticDesign 6.5" 2- Way Low Profile Recessed Ceiling Speaker - White	24	EA	\$	\$
30	UE3315A	ATEN	UE3315A - USB Extension Cable - USB Type A to USB Type A - 49 ft	24	EA	\$	\$
31	507143	Sennheiser	XS WIRELESS XSW 2- 835-A - XS Wireless 2 Vocal Set - Wireless Microphone System	6	EA	\$	\$
32	507122	Sennheiser	XS WIRELESS 2 XSW2- ME2-A - Wireless Microphone System	6	EA	\$	\$
33	TESIRAFORT DAN VT	BIAMP	Tesira Fixed I/O DSP Analog	6	EA	\$	\$
34	SW-100-04P 290	Luxul	4-Port Unmanaged PoE+ Switch - Wireless Access Point	6	EA	\$	\$
35	55115- CHCHBE21D800270 1T	Spectrum	LINK - Lectern - Rectangular - Wild Cherry	6	EA	\$	\$
36	WM220AUS	Chief	Short Throw Projector Dual Stud Wall Mount Kit - Silver	6	EA	\$	\$

NOTICE AND INFORMATION FOR BIDDERS

37	TBD by Bidder	TBD by Bidder	24" Touch Screen Monitor	6	EA	\$ \$
38			Installation		LS	\$ \$

*If bidding or proposing commodities other than those specified, the bidder must in every instance give all information required in Section 2.0 (B) of the Notice and Information for Bidders. Products will only be considered if proof of comparability is provided to DASNY in writing. A determination that a commodity or product is an "or equal" will be determined by DASNY in its sole and absolute discretion and any such determination will be final.

INSTALLATION LABOR (if required)

LABOR TO INSTALL _____

Estimated No. of Hours _____

Hourly Rate (Prevailing Wage rates are required for this work)_____

Total Materials/Equipment/Commodities:

Total Installation: _____

NOTICE AND INFORMATION FOR BIDDERS

(The below questions 1) and 2) need only be answered if the above total bid is for one million dollar	's or
more)	

- 1. Does your firm anticipate the use of subcontractors and outside suppliers specific to this procurement?
 - Yes 🗌 No 🗌
- 2. Does your firm anticipate the creation of employment opportunities arising from this procurement? Yes No

(The below information must be completed for all bids.)

Identify all subcontractors, if any:

STATE, PROVINCE FOR FOREIGN COUNTRY THAT YOUR FIRM'S PRINCIPAL PLACE OF BUSINESS IS LOCATED: _____

ADDRESS OF FACTORY OR PLANT WHERE ITEMS ARE MANUFACTURED AND/OR ASSEMBLED (*Attach additional sheet(s) if more than one manufacturer*): _____

BIDDER (FIRM NAME)

SIGNATURE

NAME (TYPE/PRINTED)

TITLE

E-MAIL ADDRESS

DATE

NOTICE AND INFORMATION FOR BIDDERS

Attachment B: Detailed Specifications

Classroom 604

- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

Classroom 605

- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

Classroom 606

- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

Classroom 609

- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

NOTICE AND INFORMATION FOR BIDDERS

Classroom 610

- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

Classroom 611


- 1 x Epson Brightlink Pro 1485Fi projector
- 1 x Chief WM220AUS mount
- 1 x Panasonic PT-VMZ60U
- 1 x Chief SYSAUW
- 1 x Dalite 88147F Recessed Screen
- 1 x Custom Lectern
- 1 x 24" Touch Screen Monitor
- 1 x DaLite Idea 25940T w/full length marker, matte finish

Link Lectern – Rectangular – Wild Cherry

	tem #: 55115-CHCHBE21D8002701T	Phantom Product	Ref Item #: 55115-CHCHBE21D8002701T
Descri	ption: Link Lectern		
Laminate	CH - Wild Cherry		
Edgeband	CH - Wild Cherry		Contraction of the
Metal Finish			and the second
ectern Style/OB Cutouts	E2 - 41" OB-Power Module (Split)		and the second sec
Instructor Door	1-Yes		The Colored and the second
Flip-up Shelf	D - 2 Flip up Shelves (Not Factory Installed)		and the second division of the second divisio
Rack Options	8 - 15 RU Slide-in Rack Cube		
Base	00 - NONE		
Side Panels	2-Matching Laminate		
Upper Storage Space	7 - Keyboard Tray		
Logo Panel	0-NONE		
Installed Power Equip.	1 - Power Module Black		
tom/Additional Cutouts	T - OB-CUSTOM Cutout (Split) Extron TLP	Pro 725M- NO RWM2	Conceptual Drawing
	Logo n/a		
<mark>iginal Artwork</mark> All Logo Printed F	Backer Panels are Printed in		
	olors may Vary - PMS Color		

1) TLP Pro 725M & Power module in OB- no specific placement requested as long as grommets do not need to be removed





NOTICE AND INFORMATION FOR BIDDERS

Attachment C: Scope of Work and Site Logistics

DASNY is seeking bids on behalf of its client, the City University of New York (CUNY) to furnish and install Audio Video Equipment at Guttman Community College. Equipment shall be furnished per the detailed specifications included in this bid.

Location for Delivery: Guttman Community College 39 West 39th Street 6th Floor New York, NY 10018

Additional Requirements:

Delivery will be coordinated with the point of contact provided on the Purchase Order. Vendor must check in with Public Safety at the time of delivery. All deliveries shall be delivered to the back of the building, street parking only. A loading dock is not available at the location. A freight elevator is available just inside the door upon entering the building.

NOTICE AND INFORMATION FOR BIDDERS

Scope of Work

- 1. Install a new interactive Epson Projector and Dalite 100" Diagonal IDEA Board as the primary projector.
- 2. Install a second projector and projection screen as a large format confidence monitor for the professor.
- 3. Supply and install (2) ceiling-mounted microphone arrays for the audience and (1) for the professor.
- 4. Supply and install (1) lavalier and handheld wireless mics.
- 5. Supply and install (4) ceiling speakers.
- 6. Supply and install a PTZ USB Camera.
- 7. Provide a new Audio DSP and amplifier.
- 8. Connect Audio DSP, PTZ camera, and touch-interaction from the Epson projector to a USB switcher. This switcher will send these combined USB signals to either the owner-furnished PC in the lectern or the laptop connection via USB for use with web conferencing software. This will be controlled automatically depending on the active source.
- 9. Supply and install a 7" touch panel recessed in the lectern top for system switching, audio level controls, screen controls, camera control, and projector on/off.
- 10. System Sources will be:
 - PC with Triple Display Output. Two will be used to send to each projector (dual display) and one will be used for a 24-inch touch screen monitor to be provided by bidder.
 - Laptop input at the lectern. When active, this will be sent to both displays as the same image.
- 11. System will accommodate a desktop PC and a laptop HDMI Input, both of which will be placed in the new lectern.
- 12. Supply all new lecterns according to the requirements of Guttman. Design and finish to be coordinated with Guttman, but will require a grommet to be placed on the top of the podium to allow laptop connections, an integrated 12RU equipment rack, a monitor arm for the monitors provided by the bidder and a 2-gang opening in the top of the lectern to support the touch panel.

